



SPECIFICATIONS

Socket	27" (69cm)
Socket	16:9
Socket	2560 x 1440 (WQHD)
Socket	165Hz
Socket	1ms GTG
Socket	300 nits
Socket	1000:1
Socket	32W
Socket	5-way OSD navigation joystick
Socket	614.9 x 532.7 x 206.7 mm / 24.21 x 20.97 x 8.14 inch
Socket	6.05kg / 8.7kg 13.34lbs / 19.18lbs
Socket	0.2331(H) x 0.2331(V)
Socket	178° (H) / 178° (V)
Socket	Rapid IPS
Socket	100000000:1
Socket	596.736(H) x 335.664(V)
Socket	Anti-glare
Socket	1.07B (8bits + FRC)
Socket	1x Display Port (1.4) 2x HDMI™ (2.0b) 1x Type C (DP alt.)
Socket	2x USB 2.0 Type A 1x USB 2.0 Type B
Socket	1x Earphone out
Socket	Yes
Socket	100 x 100 mm
Socket	External Adaptor 19V 3.42A
Socket	100~240V, 50~60Hz
Socket	90.9 to 242.4KHz (H) 30 to 165Hz (V)
Socket	-5° ~ 20°
Socket	-75° ~ 75°
Socket	0 ~ 100mm

FEATURES



Rapid IPS

Provides 1ms GTG fast response time, optimizes screen colors and brightness.



180Hz High Refresh Rate

Experience smooth gaming with a blazing fast 180Hz refresh rate, that gives you the upperhand in fast moving games.



1ms Fast Response Time

Eliminate screen tearing and choppy frame rates with 1ms response time.



Console Mode

Optimized for seamless compatibility with gaming consoles like PS5 and Xbox Series X|S.



Night Vision

See every detail clearly in the dark, helping you find and attack enemies before they notice.



Wide Color Gamut

Game colors and details will look more realistic and refined, to push game immersion to its limits.

Socket	Display Port: 2560 x 1440 (Up to 165Hz) Type C (DP alt.): 2560 x 1440 (Up to 165Hz) HDMI™: 2560 x 1440 (Up to 144Hz) The color gamut follows the CIE 1976 testing standard.
Socket	94% / 131%
Socket	Yes
Socket	-90° ~ 90°
Socket	730 x 490 x 220 mm / 28.74 x 19.29 x 8.66 inch
Socket	G-sync Compatible
Socket	48 to 165Hz
Contrast Ratio	1000:1
DCR	100000000:1
Tecnologia Dynamic Refresh Rate	Adaptive-Sync
ACTIVATED RANGE	48~180Hz
Adobe RGB / DCI-P3 / sRGB	91% / 88% / 118%
Dimension (W x D x H)	541.9 x 231.9 x 424.3 mm 541.9 x 59.7 x 322.3 mm (Without stand)
Carton Dimension (W X D X H)	622 x 160 x 409 mm (WW carton) 637 x 174 x 433 mm (JP carton)
Tamanho Painel	23.8" (60cm)
Relação de Aspecto	16:9
Resolução Painel	1920 x 1080 (FHD)
Distância entre Pixels (H x V)	0.2745(H) x 0.2745(V)
Taxa de atualização	180Hz
Tempo de resposta	1ms (GtG)
Ângulo de visão	178° (H) / 178° (V)
Curvo	Flat
Brilho	300
Ajuste (Pivot)	N/A
Design sem bordas	Yes
Peso	4.2 kg / 5.6 kg 2.7 kg (without stand)
Tipo de painel	Rapid IPS
Área de visualização ativa (mm)	527.04(H) x 296.46(V)
Tratamento da superfície	Anti-glare
Cores da tela	16.7M (8bits)
Portas de vídeo	1x Display Port (1.2a) 2x HDMI™ (2.0b)
Portas de áudio	1x Earphone out
Kensington Lock	Yes
Montagem VESA	75 x 75 mm
Tipo de energia	External Adaptor 12V 3A
Entrada de energia	100~240V, 50/60Hz
Frequência de sinal	55.3~200 KHz(H) /48~180 Hz(V)
Ajustes (Inclinação)	-5° ~ 20°
Nota	Display Port: 1920 x 1080 (Up to 180Hz) HDMI™: 1920 x 1080 (Up to 180Hz) Adobe RGB, DCI-P3 and sRGB follow CIE1976 Standard
Ajustes (Giro)	N/A
Portas USB	N/A
Função PIP / PBP	N/A
Suporte HDR	N/A
Ajustes (Altura)	N/A

CONNECTIONS



1. 5-way joystick navigator
2. 2 x HDMI™ (2.0b)
3. 1 x Display Port (1.2a)
4. Headphone out
5. DC jack
6. Kensington lock