



SPECIFICATIONS

| | |
|--------|---|
| Socket | 27" (69cm) |
| Socket | 16:9 |
| Socket | 2560 x 1440 (WQHD) |
| Socket | 165Hz |
| Socket | 1ms GTG |
| Socket | 300 nits |
| Socket | 1000:1 |
| Socket | 32W |
| Socket | 5-way OSD navigation joystick |
| Socket | 614.9 x 532.7 x 206.7 mm / 24.21 x 20.97 x 8.14 inch |
| Socket | 6.05kg / 8.7kg 13.34lbs / 19.18lbs |
| Socket | 0.2331(H) x 0.2331(V) |
| Socket | 178° (H) / 178° (V) |
| Socket | Rapid IPS |
| Socket | 100000000:1 |
| Socket | 596.736(H) x 335.664(V) |
| Socket | Anti-glare |
| Socket | 1.07B (8bits + FRC) |
| Socket | 1x Display Port (1.4) 2x HDMI™ (2.0b) 1x Type C (DP alt.) |
| Socket | 2x USB 2.0 Type A 1x USB 2.0 Type B |
| Socket | 1x Earphone out |
| Socket | Yes |
| Socket | 100 x 100 mm |
| Socket | External Adaptor 19V 3.42A |
| Socket | 100~240V, 50~60Hz |
| Socket | 90.9 to 242.4KHz (H) 30 to 165Hz (V) |
| Socket | -5° ~ 20° |
| Socket | -75° ~ 75° |
| Socket | 0 ~ 100mm |

FEATURES

- 144Hz High Refresh Rate**
 Experience smooth gaming with a blazing fast 144Hz refresh rate, that gives you the upperhand in fast moving games.
- 1ms Response Time**
 Eliminate screen tearing and choppy frame rates with 1ms response time.
- HDR Ready**
 Enhance eye-catching details through adjustments in contrast and shadows.
- AI Vision**
 The new AI Vision technology can not only reveal details in dark areas but also enhance overall brightness and saturate colors.

| | |
|--|--|
| Socket | Display Port: 2560 x 1440 (Up to 165Hz) Type C (DP alt.): 2560 x 1440 (Up to 165Hz) HDMI™: 2560 x 1440 (Up to 144Hz) The color gamut follows the CIE 1976 testing standard. |
| Socket | 94% / 131% |
| Socket | Yes |
| Socket | -90° ~ 90° |
| Socket | 730 x 490 x 220 mm / 28.74 x 19.29 x 8.66 inch |
| Socket | G-sync Compatible |
| Socket | 48 to 165Hz |
| Contrast Ratio | 1500:1 |
| DCR | 100000000:1 |
| Tecnologia Dynamic Refresh Rate | AMD FreeSync™ |
| ACTIVATED RANGE | 48~144Hz |
| Adobe RGB / DCI-P3 / sRGB | 80% / 85% / 110% (CIE1976 Standard) |
| Carton Dimension (W X D X H) | 678 x 118 x 420mm (26.6 x 4.6 x 16.5 inch) |
| Tamanho Painel | 27" |
| Relação de Aspecto | 16:9 |
| Resolução Painel | 1920 x 1080 (FHD) |
| Distância entre Pixeis (H x V) | 0.3114 (H) x 0.3114 (V) |
| Taxa de atualização | 144Hz |
| Tempo de resposta | 1ms (MPRT) |
| Ângulo de visão | 178° (H) / 178° (V) |
| Dimension with Stand (W x D x H) | 612 x 453 x 220 mm (24 x 17.8 x 8.6 inch) |
| Curvo | Flat |
| Dimension without Stand (W x D x H) | 612 x 55.9 x 358 mm (24 x 2.2 x 14 inch) |
| Brilho | SDR: 300 cd/m ² |
| Modo Console | Supported Resolution & Refresh Rate: 1080p: 60Hz and 120Hz HDMI™ CEC: Supported VRR: PS5 and Xbox Supported |
| Design sem bordas | Yes |
| Peso | 3.8 kg (8.3 lbs) / 6.02 (13.2 lbs) |
| Tipo de painel | IPS |
| Área de visualização ativa (mm) | 597.888 (H) x 336.312 (V) |
| Tratamento da superfície | Anti-glare |
| Cores da tela | 1.07B, 10 bits (8 bits + FRC) |
| Portas de vídeo | 1x HDMI™ 2.0 (FHD@144Hz) 1x DisplayPort 1.2a |
| Portas de áudio | 1x Headphone out |
| Kensington Lock | Yes |
| Montagem VESA | 100 x 100 mm |
| Tipo de energia | Internal Power Board |
| Entrada de energia | 100~240V, 50/60Hz |
| Frequência de sinal | 52.85~158.54 KHz(H) / 48~144 Hz(V) |
| Ajustes (Inclinação) | -5° ~ 20° |
| Nota | HDMI™: 1920 x 1080 (Up to 144Hz) DisplayPort: 1920 x 1080 (Up to 144Hz) Support: HDMI™ CEC; Non Support: KVM, PIP/PBP |
| Portas USB | N/A |
| Suporte HDR | HDR Ready |
| Accessories | 1x HDMI™ Cable (1.4), 1x Power Cord (C13), 1x Quick Guide |

CONNECTIONS



1. 5-Way Navigator
2. DisplayPort 1.2a
3. HDMI™ 1.4b (FHD@144Hz)
4. Headphone-out
5. AC-in
6. Kensington Lock