



SPECIFICATIONS

Tamaño del panel	24.5" (62.2cm)
Área de visualización activa (mm)	543.744 (H) x 302.616 (V)
Curvatura	Flat
Tipo de panel	Rapid IPS
Resolución de la pantalla	1920 x 1080 (FHD)
Tamaño de píxel (H x V)	0.2832(H) x 0.2802(V)
Relación de aspecto	16:9
Brillo (Nits)	300
Relación de contraste	1000:1
DCR	100000000:1
Rango tasa de refresco	48~180Hz
Tasa de refresco	180Hz
Tiempo de respuesta	1ms (GtG)
Admite HDR	N/A
Puertos de video	1x Display Port (1.2a) 2x HDMI™ (2.0b)
Puertos USB	N/A
Puertos de audio	1x Headphone out 2x 2W Speaker
Ángulo de visión	178° (H) / 178° (V)
Adobe RGB / DCI-P3 / sRGB	82% / 78% / 99%
Tratamiento de la superficie	Anti-glare
Colores de pantalla	16.7M (8btis)
Tipo de alimentación	Power Cable
Entrada de alimentación	100~240V, 50/60Hz
Regulable (inclinación)	-5 ~ 20°
Regulable (Giro)	-30° ~ 30°
Regulable (Pivot)	-90° ~ 90°
Regulable (altura)	0 ~ 130mm
Kensington Lock	Yes
Socket	27" (69cm)
Socket	16:9
Socket	2560 x 1440 (WQHD)
Socket	165Hz
Socket	1ms GTG
Socket	300 nits
Socket	1000:1

FEATURES



Rapid IPS

Make sure the intensity and purity of colors when gaming.



180Hz High Refresh Rate

Experience smooth gaming with a blazing fast 180Hz refresh rate, that gives you the upperhand in fast moving games.



1ms Fast Response Time

Eliminate screen tearing and choppy frame rates with 1ms response time.



Frameless Design

With the narrow bezel, you will not even notice the monitor at all in the heat of the moment.




Night Vision

Smart black tuner to brighten your day by bringing out the fine details in dark areas.



Wide Color Gamut

Game colors and details will look more realistic and refined, to push game immersion to its limits.



Adjustable Stand

Through adjustments of tilting, lowering and raising, and swiveling, easily change the position of the monitor for maximum ergonomics and optimum viewing experiences.



MONITORES

G255PF E2

ALL ABOUT GAMING

Socket	32W
Socket	5-way OSD navigation joystick
Socket	614.9 x 532.7 x 206.7 mm / 24.21 x 20.97 x 8.14 inch
Socket	6.05kg / 8.7kg 13.34lbs / 19.18lbs
Socket	0.2331(H) x 0.2331(V)
Socket	178° (H) / 178° (V)
Socket	Rapid IPS
Socket	100000000:1
Socket	596.736(H) x 335.664(V)
Socket	Anti-glare
Socket	1.07B (8bits + FRC)
Socket	1x Display Port (1.4) 2x HDMI™ (2.0b) 1x Type C (DP alt.)
Socket	2x USB 2.0 Type A 1x USB 2.0 Type B
Socket	1x Earphone out
Socket	Yes
Socket	100 x 100 mm
Socket	External Adaptor 19V 3.42A
Socket	100~240V, 50~60Hz
Socket	90.9 to 242.4KHz (H) 30 to 165Hz (V)
Socket	-5° ~ 20°
Socket	-75° ~ 75°
Socket	0 ~ 100mm
Socket	Display Port: 2560 x 1440 (Up to 165Hz) Type C (DP alt.): 2560 x 1440 (Up to 165Hz) HDMI™ : 2560 x 1440 (Up to 144Hz) The color gamut follows the CIE 1976 testing standard.
Socket	94% / 131%
Socket	Yes
Socket	-90° ~ 90°
Socket	730 x 490 x 220 mm / 28.74 x 19.29 x 8.66 inch
Socket	G-sync Compatible
Socket	48 to 165Hz
Tecnología compatible	AMD FreeSync™
Tamaño (An x Pr x Al)	557.1 x 227.9 x 511.9mm 557.1 x 66.4 x 326.9mm (without stand)
Tamaño de la caja (An X Pr X Al)	WW carton: 630 x 142 x 508 mm Outer: 648 x 160 x 538 mm
Diseño sin marcos	Yes
Función PIP / PBP	N/A
Soporte VESA	100 x 100 mm
Peso	5.3kg / 7.8kg 2.87kg (without stand)
Observación	Display Port: 1920 x 1080 (Up to 180Hz) HDMI™ : 1920 x 1080 (Up to 180Hz) Adobe RGB, DCI-P3 and sRGB follow CIE1976 Standard

CONNECTIONS



1. 5-way joystick navigator
2. DC jack
3. 2 x HDMI™ (2.0b)
4. 1 x Display Port (1.2a)
5. Headphone out
6. Kensington lock