



## SPECIFICATIONS

<b>Panel Size</b>	26.5"
<b>Kensington Lock</b>	Yes
<b>DYNAMIC REFRESH RATE TECHNOLOGY</b>	NVIDIA G-SYNC Compatible AMD FreeSync™ Premium
<b>ACTIVATED RANGE</b>	48~240Hz
<b>Adobe RGB / DCI-P3 / sRGB</b>	98% / 99% / 138% (CIE1976 Standard)
<b>Carton Dimension (W x D x H)</b>	820 x 169 x 513mm (32.2 x 6.6 x 20.1 inch)
<b>Rapporto d'aspetto</b>	16:9
<b>Risoluzione Pannello</b>	2560 x 1440 (WQHD)
<b>Pixel Pitch (H x V)</b>	0.2292 (H) x 0.2292 (V)
<b>Refresh Rate</b>	240Hz
<b>Tempo di risposta</b>	0.03ms (GtG)
<b>Angolo di Visualizzazione</b>	178°(H) / 178°(V)
<b>Dimension with Stand (W x D x H)</b>	611.6 x 533 x 241.9mm (24 x 20.9 x 9.5 inch)
<b>Curvatura</b>	Flat
<b>Dimension without Stand (W x D x H)</b>	611.6 x 357.7 x 55.76mm (24 x 14 x 2.19 inch)
<b>Luminosità</b>	SDR: 200 HDR: 400 (Typ.)
<b>Contrasto</b>	1500000:1 (Typ.)
<b>Adjustment (Pivot)</b>	-90° ~ 90°
	Supported Resolution & Refresh Rate: 1080p: 60Hz and 120Hz 1440p: 60Hz and 120Hz
<b>Console Mode</b>	HDMI™ CEC: Supported / Non Supported VRR: Xbox only / PS5 and Xbox Supported
<b>Peso</b>	5.7 kg (12.5 lbs) / 9.4 kg (20.7 lbs)
<b>Panel Type</b>	QD-OLED
<b>DCR</b>	N/A
<b>Active Display Area (mm)</b>	590.42 (H) x 333.72 (V)
<b>Surface Treatment</b>	Anti-Reflection
<b>Display Colors</b>	1.07B, 10 bits
<b>Video ports</b>	2x HDMI™ 2.1 (FRL 10G) (WQHD@240Hz) 1x DisplayPort 1.4a (HBR3) 1X Type-C (DP alt.) w/ 15W PD

## FEATURES



### QD-OLED Display

MSI's renowned QD tech, combined with the latest OLED panel technology, these displays exhibit the best picture quality and incredible high contrast when gaming



### 240Hz High Refresh Rate

Experience smooth gaming with a blazing-fast refresh rate, providing you with the upper hand in fast-moving games.




### Fastest 0.03 Response time

Response time is much faster and smoother than conventional LCD displays. The response time is up to 0.03 ms GtG exceeds the most mainstream refresh rates requirements.



### OLED Care 2.0

MSI has developed a more advanced version to provide several care services and significantly reduce the chances of OLED screen aging.




### Graphene film with Custom Heatsink

Graphene film and customized heatsink designs, the synergy between these two elements enables monitor to operate without an active cooling fan, achieving a fanless design. This ensures efficient and silent heat dispersion, further extending the panel's lifespan.

<b>USB ports</b>	N/A
<b>Audio ports</b>	1x Headphone-out
<b>VESA Mounting</b>	100 x 100 mm
<b>Power Type</b>	Internal Power Board
<b>Power Input</b>	100~240V, 50/60Hz
<b>Signal Frequency</b>	30~390 KHz(H) / 48~240 Hz(V)
<b>Adjustment (Tilt)</b>	-5° ~ 20°
<b>Adjustment (Swivel)</b>	-30° ~ 30°
<b>Adjustment (Height)</b>	0 ~ 110 mm
<b>Note</b>	HDMI™: 2560 x 1440 (Up to 240Hz) DisplayPort: 2560 x 1440 (Up to 240Hz) Type-C: 2560 x 1440 (Up to 240Hz) Support: HDMI™ CEC, PIP/PBP; Non Support: KVM
<b>HDR Support</b>	HDR Ready
<b>Accessories</b>	1x DisplayPort Cable (1.4a), 1x Power Cord (C13), 1x Quick Guide, 4x VESA Wall Mount Screw, 1x Fiber Cloth, 1x Color Report

## CONNECTIONS



1. Headphone out
2. 2 x HDMI™ 2.1 (WQHD@240Hz)
3. DisplayPort 1.4a (HBR3)
4. Type-C (DP alt.) w/ 15W PD
5. 5-way Joystick Navigator
6. AC-in
7. Kensington lock