



SPECIFICATIONS

| | |
|--|---|
| Video ports | 1 x DisplayPort (1.4a) 2 x HDMI™ 2.1 (WQHD@360Hz) 1 x Type-C (DP alt.) w/PD 15W |
| DYNAMIC REFRESH RATE TECHNOLOGY | AMD FreeSync™ |
| ACTIVATED RANGE | 48~360Hz |
| Adobe RGB / DCI-P3 / sRGB | 98% / 99.1% / 138.4% |
| Dimension (W x D x H) | 609 x 242 x 416mm 609 x 72 x 362mm (without stand) |
| Carton Dimension (W x D x H) | WW carton: 800 x 185 x 500mm Outer: 818 x 200 525 mm |
| Panel Size | 26.5"(67.31cm) |
| Aspect ratio | 16:9 |
| Panel Resolution | 2560x1440 (WQHD) |
| Pixel Pitch (H x V) | 0.2292(H) x 0.2292(V) |
| Refresh Rate | 360Hz |
| Response time | 0.03ms (GtG) |
| Viewing angle | 178°(H) / 178°(V) |
| Curved | Flat |
| Brightness | 250 (Typ.) |
| Contrast Ratio | 1500000:1 (Typ.) |
| Adjustment (Pivot) | -90° ~ 90° |
| Frameless Design | Yes |
| Weight | 8 kg / 10.3 kg |
| Panel Type | QD-OLED |
| DCR | N/A |
| Active Display Area (mm) | 590.42(H) x 333.72(V) |
| Surface Treatment | Anti-Reflection |
| Display Colors | 1.07B, 10 bits |
| USB ports | N/A |
| Audio ports | 1 x Headphone-out |
| Kensington Lock | Yes |
| VESA Mounting | 100 x 100 mm |
| Power Type | Power Cable |
| Power Input | 100~240V, 50/60Hz |
| Signal Frequency | 30~585 KHz(H) / 48~360 Hz(V) |
| Adjustment (Tilt) | -5° ~ 20° |
| Adjustment (Swivel) | 30° ~ 30° |

FEATURES



QD-OLED Display

MSI's renowned QD tech, combined with the latest OLED panel technology, these displays exhibit the best picture quality and incredible high contrast when gaming.



360Hz High Refresh Rate

Experience smooth gaming with a blazing fast refresh rate, that gives you the upper hand in fast-moving games.




Fastest 0.03 Response time

Response time is much faster and smoother than conventional LCD displays. The response time is up to 0.03 ms GtG exceeds the most mainstream refresh rates requirements.



OLED Care 2.0

MSI has developed a more advanced version to provide several care services and significantly reduce the chances of OLED screen aging.



Graphene film with Custom Heatsink

Graphene film and customized heatsink designs, the synergy between these two elements enables monitor to operate without an active cooling fan, achieving a fanless design. This ensures efficient and silent heat dispersion, further extending the panel's lifespan.

VESA CERTIFIED




VESA DisplayHDR True Black 400

It has passed the VESA DisplayHDR True Black 400 Certification, meaning it can provide a display with the most realistic colors.

| | |
|----------------------------|--|
| Adjustment (Height) | 0 ~ 110mm |
| Note | Display Port: 2560 x 1440 (Up to 360Hz) HDMI 2.1: 2560 x 1440 (Up to 360Hz) Type C(DP alt.): 2560 x 1440 (Up to 360Hz) and 15W PD charging *sRGB and DCI-P3 follow CIE1976 standard |
| HDR Support | DisplayHDR True Black 400 |
| PIP / PBP Function | Yes |
| Warranty | 3 years (including panel burn-in) |

CONNECTIONS



1. AC Power Jack
2. 5-way Joystick Navigator
3. 2 x HDMI™ 2.1 (WQHD@360Hz)
4. Display Port 1.4a
5. USB Type-C (PD 15W)
6. Earphone out
7. Kensington lock