



## SPECIFICATIONS


<b>Panel Size</b>	23.8"
<b>Panel Resolution</b>	1920 x 1080 (Full HD)
<b>Refresh Rate</b>	60Hz
<b>Brightness (nits)</b>	220 cd/m2
<b>Viewing Angle</b>	178°(H) / 178°(V)
<b>Aspect Ratio</b>	16:9
<b>Curvature</b>	Flat
<b>Contrast Ratio</b>	1000:1 (TYP)
<b>Active Display Area (mm)</b>	527.04(H) x 296.46(V)
<b>Pixel Pitch (H x V)</b>	0.2745(H) x 0.2745(V)
<b>Surface Treatment</b>	Anti-glare
<b>Display Colors</b>	16.7M
<b>Video ports</b>	1x HDMI™ (1.4) 1x D-Sub (VGA)
<b>Response time</b>	7ms
<b>Panel Type</b>	IPS
<b>Kensington Lock</b>	Yes
<b>VESA Mounting</b>	75 x 75 mm
<b>Power Input</b>	100~240V, 50~60Hz
<b>Operating System</b>	Windows 10 Home - MSI recommends Windows 10 Pro
<b>CPU</b>	Up to the 9th generation Intel® Core™ i7 processors
<b>System Memory</b>	2 x U-DIMMs DDR4 2400/2666MHz Max. 32G
<b>Power Type</b>	External Adaptor 12V 2.5A
<b>Sound</b>	7.1 Channel HD Audio (Realtek ALC887)
<b>Storage</b>	1 x M.2 SSD (1 x Auto Switch)[] 2 x 3.5" HDD
<b>Adjustment (Tilt)</b>	-5° ~ 15°
<b>BRIGHTNESS (NITS)</b>	250 cd/m2
<b>Dimension (W x H x D)</b>	541.04 x 416.26 x 180.80 mm (21.30 x 16.39 x 7.12 inch)
<b>Carton Dimension (W X H X D)</b>	627 x 405 x 122 mm (24.69 x 19.94 x 4.80 inch)

## FEATURES



### Built-In Speaker

Built-in speakers allow you to listen clearly without connecting external speakers.



### Display Kit Support

Providing the most convenient tool, the proper color & display mode to you while working with it everyday.



### Less Blue Light

Effectively reduce blue light which could cause serious long-term damage to your eyes.



### IPS Grade Panel

Instantly optimize the screen colors and brightness to ensure that you enjoy every detail at its best while creating your own on-line video



### VESA Mountable


To be mounted on the wall of your office & home with a VESA standard design which can make it completely invisible on a desk.



### Anti-Glare Display Design

An anti-glare display makes viewing the display more pleasant for users and reduces eyestrain for users

Anti-Glare



### 23.8" Screen Size

View your applications, spreadsheets and more with a perfect 23.8 inches screen



### 75Hz High Refresh Rate

Experience smooth gaming with a blazing fast 75Hz refresh rate, that gives you the upperhand in fast moving games.

<b>I/O (Rear)</b>	2 x USB3.1 Gen1 Type A 4 x USB2.0□ 1 x RJ45□ 1 x DVI-D 1 x VGA 1 x HDMI™ port 1 x PS/2 mouse/keyboard combo□ 3 x Audio Jacks
<b>LAN</b>	Intel® WGI219V
<b>AUDIO PORTS</b>	1x Headphone-out
<b>Cooling System</b>	Fan Cooler
<b>Volume</b>	13L / 22.87pt
<b>Dimension (WxDxH)</b>	420.2 x 163.5 x 356.8mm□(16.54 x 6.44 x 14.05 inch)
<b>SPEAKER</b>	2x 2W
<b>Accessories</b>	1 x Warranty card□ 1 x Quick guide 1 x Power cord
<b>Compatibility</b>	PC, Mac, PS5™, PS4™, Xbox, Mobile, Notebook * All trademarks and the registered trademarks are the property of their respective owners.
<b>NOTE</b>	HDMI™: 1920 x 1080 (Up to 75Hz) D-Sub: 1920 x 1080 (Up to 60Hz)
<b>WEIGHT (NW / GW)</b>	2.95 kg ( 6.5 lbs) / 4.15 kg (9.15 lbs)
<b>CARTON DIMENSION (W X H X D)</b>	605 x 116 x 407 mm (23.82 x 4.57 x 16.02 inch)
<b>VIDEO PORTS</b>	1x HDMI™ (1.4) 1x DP (1.2a)
<b>DIMENSION (W X H X D)</b>	541.93 x 421.79 x 182.16 mm (21.34 x 16.61 x 7.17 inch)
<b>ADJUSTMENT (TILT)</b>	-5° ~ 20°
<b>POWER INPUT</b>	100~240V, 50~60Hz
<b>POWER TYPE</b>	External Adaptor (12V 2.5A)
<b>VESA MOUNTING</b>	75 x 75 mm
<b>KENSINGTON LOCK</b>	Yes
<b>SURFACE TREATMENT</b>	Anti-glare
<b>COLOR BIT</b>	8 bits
<b>DISPLAY COLORS</b>	16.7M
<b>PIXEL PITCH (H X V)</b>	0.2745(H) x 0.2745(V)
<b>sRGB</b>	100% (CIE 1976)
<b>CONTRAST RATIO</b>	1000:1
<b>ASPECT RATIO</b>	16:9
<b>VIEWING ANGLE</b>	178°(H) / 178°(V)
<b>PANEL TYPE</b>	IPS
<b>RESPONSE TIME</b>	5ms (GTG)
<b>REFRESH RATE</b>	75Hz
<b>PANEL RESOLUTION</b>	1920 x 1080 (FHD)
<b>PANEL SIZE</b>	23.8"
<b>Note</b>	HDMI™: 1920 x 1080 (Up to 60Hz) D-Sub: 1920 x 1080 (Up to 60Hz)
<b>ACTIVE DISPLAY AREA (MM)</b>	527.04(H) x 296.46(V)

## CONNECTIONS



1. 1x DisplayPort
2. 1x HDMI™
3. 1x Headphone-out
4. 1x DC Jack
5. 1x Kensington Lock