



SELLING POINTS

- 21:9 UWQHD 34" screen improve the way you multi-task and broaden your horizons
- 1500R curvature brings the most immersive viewing experience for your work & amusement.
- Enjoy the high-quality entertainment with a smoother 120Hz high refresh rate.
- Type-C 98W Power Delivery and Display & KVM Switch.
- TÜV certified display ensures the protection and health of eyesight.
- MSI EyesErgo technology with Anti-Flicker technology helps prevent eye strain and fatigue.
- VESA Mountable design provides a tidy setup, enhancing user comfort and organization.
- MSI Power Link allows your MSI desktop to power on with a single press of the monitor's power button.
- Maintain versatility across ...

FEATURES



VESA Mountable

To be mounted on the wall of your office & home with a VESA standard design which can make it completely invisible on a desk.



Built-In Speaker

Built-in speakers allow you to listen clearly without connecting external speakers.



Curved 1500R

Bring an immersive & comfortable viewing experience to eliminate distortion and cover a wider field of view



120Hz High Refresh Rate

Enjoy the high-quality entertainment with a smoother and flicker-free images.



EyesErgo

An eye care solution designed with ergonomics in mind. Includes Eye care & Ergonomic features.



PIP/PBP Technology

Display and view dual contents simultaneously with multi-screen functionality.



UWQHD (3440 x 1440)

Game titles will even look better, displaying more details due to the WQHD (3440 x 1440) resolution.

CONNECTIONS



- | | |
|--------------------------------|------------------------|
| 1. OSD Buttons | 2. AC-in |
| 3. 2x HDMI™ 2.0b (UWQHD@100Hz) | 4. 1x DisplayPort 1.4a |
| 5. Headphone-out | 6. Kensington Lock |

SPECIFICATIONS

I/O ports	2.3 1 2.3 1 4 1 2Wx 2 2 2.0b 1.4a (HBR3) 1
Screen Size	34" (86.36 cm)
Active Display Area (mm)	797.22(H) x 333.72(V)
Curvature	Curve 1500R
Panel Type	VA
Resolution	3440x1440 (UWQHD)
Pixel pitch (mm)	0.23175(H)x0.23175(V)
Aspect Ratio	21:9
Dynamic Refresh Rate technology	Adaptive-Sync
Dynamic Refresh Rate Activated Range	48~120Hz
HDR (High dynamic range)	HDR Ready
SDR Brightness (nits)	300
Contrast Ratio	3500:1
DCR (Dynamic Contrast Ratio)	100000000:1
Signal Frequency	70.6~176.4 KHz(H) / 48~120 Hz(V)
Refresh Rate	120Hz
Response Time (MPRT)	1ms(MPRT)
Response Time (GTG)	4ms
View Angles	178°(H)/178°(V)
sRGB (CIE1976 area percentage/overlap)	114%/98%
Adobe RGB (CIE1976 area percentage/overlap)	98%/89%
DCI-P3 (CIE1976 area percentage/overlap)	91%/91%
Surface Treatment	Anti-glare
Touch Screen	Non-touch
Display Colors	1.07B

PRO MP341CQPHGN E12

BUSINESS & PRODUCTIVITY MONITOR

Color bit	10 bits (8 bits + FRC)
Lock type	Kensington Lock
Power type	Internal Power Board
Power Input	100~240V, 50/60Hz
Adjustment (Tilt)	-5° ~ 20°
Adjustment (Swivel)	-45° ~ 45°
Adjustment (Height)	0 ~ 150 mm
Adjustment (Pivot)	-10° ~ 10°
VESA Mounting	100x100mm
Weight (Net kg)	9.
Weight (Net lbs)	19.84
Weight (Gross kg)	12.3
Weight (Gross lbs)	27.12
Product Dimension without Stand (WxDxH) (mm)	809.3 x 112.8 x 365.8
Product Dimension without Stand (WxDxH) (inch)	31.86 x 4.44 x 14.4
Accessories	2.0b 0 0 1 0 1 0 0 0 0 0 1 0 1 0 0 0 0 0 0 0 1 1.4a 1
Note	v v v v KVM 1.0 Support 3440X1440 (Up to 120Hz) 3440 x 1440 (Up to 100Hz) DP Signal C13 YES 98W