



FEATURES

Google TV™



Google TV brings together your movies, shows, and more from across your subscriptions, so they're in one place.

Google Assistant



Ask Google Assistant to find movies, stream apps, play music, and control the monitor — all with your voice.

Speakers powered by Dolby Audio™



With built-in speakers and Dolby Audio technologies to play movies and TV shows in surround sound.

Wireless Display



Cast the entertainment you love from your phone or laptop to the monitor.

Multi Control



lets you manage two devices from a single screen with one set of peripherals, enhancing multitasking efficiency.

Type C 65W Power Delivery




Built-in an USB Type-C connection with 65W power delivery allows you to effortlessly connect to and charge your devices

IPS Panel with Wide Viewing Angle



Instantly optimize the screen colors and brightness to ensure that you enjoy every detail at its best.

Adjustable Stand



Adjust the stand to the angle that is most suitable for you to keep yourself work comfortably.

SPECIFICATIONS

PANEL SIZE	27"
PANEL RESOLUTION	3840 x 2160 (UHD)
REFRESH RATE	60Hz
RESPONSE TIME	4ms (GtG)
PANEL TYPE	IPS
BRIGHTNESS (NITS)	SDR: 300 cd/m ²
VIEWING ANGLE	178° (H) / 178° (V)
ASPECT RATIO	16:9
CONTRAST RATIO	1000:1
ADOBE RGB / DCI-P3 / SRGB	94% / 98% / 127% (CIE1976 Standard)
PANEL SIZE	27"
PANEL RESOLUTION	3840 x 2160 (UHD)
ACTIVE DISPLAY AREA (MM)	596.736 (H) x 335.664 (V)
REFRESH RATE	60Hz
PIXEL PITCH (H X V)	0.1554 (H) x 0.1554 (V)
RESPONSE TIME	4ms (GtG)
SURFACE TREATMENT	Anti-glare
PANEL TYPE	IPS
DISPLAY COLORS	1.07B
BRIGHTNESS (NITS)	SDR: 300 cd/m ²
COLOR BIT	10 bits (8 bits + FRC)
VIEWING ANGLE	178° (H) / 178° (V)
HDR SUPPORT	HDR Ready
ASPECT RATIO	16:9
VIDEO PORTS	1x HDMI™ 2.0b (UHD@60Hz) 1x DisplayPort 1.4a 1x Type-C (DP alt.) w/ 65W PD
CONTRAST RATIO	1000:1
USB Ports	2x USB 5Gbps Type-A
ADOBE RGB / DCI-P3 / SRGB	94% / 98% / 127% (CIE1976 Standard)
ACTIVE DISPLAY AREA (MM)	596.736 (H) x 335.664 (V)
PIXEL PITCH (H X V)	0.1554 (H) x 0.1554 (V)
SURFACE TREATMENT	Anti-glare
AUDIO PORTS	1x Headphone-out
DISPLAY COLORS	1.07B
Ethernet Interface	1x LAN Port
COLOR BIT	10 bits (8 bits + FRC)



Wi-Fi	Wi-Fi 5 (IEEE 802.11 a/b/g/n/ac)
HDR SUPPORT	HDR Ready
Bluetooth	5.0
KENSINGTON LOCK	Yes
USB Ports	2x USB 2.0 Type-A
AUDIO PORTS	1x Headphone-out
SPEAKER	3W x2, powered by Dolby Audio
Ethernet Interface	1x LAN Port
Wi-Fi	Wi-Fi 5 (IEEE 802.11 a/b/g/n/ac)
VESA MOUNTING	75 x 75 mm
Bluetooth	5.0
POWER TYPE	Internal Power Board
KENSINGTON LOCK	Yes
POWER INPUT	100~240V, 50/60Hz
SPEAKER	3W x2, powered by Dolby Audio
DYNAMIC REFRESH RATE TECHNOLOGY	Adaptive-Sync
VESA MOUNTING	75 x 75 mm
ADJUSTMENT (TILT)	-5° ~ 20°
POWER TYPE	Internal Power Board
ADJUSTMENT (SWIVEL)	-30° ~ 30°
POWER INPUT	100~240V, 50/60Hz
ADJUSTMENT (PIVOT)	-90° ~ 90°
DYNAMIC REFRESH RATE TECHNOLOGY	Adaptive-Sync
ADJUSTMENT (HEIGHT)	0 ~ 110 mm
ADJUSTMENT (TILT)	-5° ~ 20°
ADJUSTMENT (SWIVEL)	-30° ~ 30°
DIMENSION (W X H X D)	613.5 x 201.8 x 413.4 mm (24.15 x 7.94 x 16.28 inch)
ADJUSTMENT (PIVOT)	-90° ~ 90°
CARTON DIMENSION (W X H X D)	702 x 195 x 464 mm (27.64 x 7.68 x 18.27 inch)
ADJUSTMENT (HEIGHT)	0 ~ 110 mm
DIMENSION (W X H X D)	613.5 x 201.8 x 413.4 mm (24.15 x 7.94 x 16.28 inch)
WEIGHT (NW / GW)	6.30 kg (13.89 lbs) / 9.10 kg (20.06 lbs)
CARTON DIMENSION (W X H X D)	702 x 195 x 464 mm (27.64 x 7.68 x 18.27 inch)
WEIGHT (NW / GW)	6.30 kg (13.89 lbs) / 9.10 kg (20.06 lbs)
CERTIFICATES	Energy Star
CERTIFICATES	Energy Star
VIDEO INPUT COMPATIBILITY	PC, Mac, PS5™, PS4™, Xbox, Mobile, Notebook *All trademarks and the registered trademarks are the property of their respective owners.
VIDEO INPUT COMPATIBILITY	PC, Mac, PS5™, PS4™, Xbox, Mobile, Notebook *All trademarks and the registered trademarks are the property of their respective owners.
ACCESSORIES	1x HDMI™ Cable (2.0b), 1x USB Type-C Cable, 1x Power Cord (C13), 1x Quick Guide, 4x VESA Wall Mount Screw, 1x Remote Control, 2x Battery (AAA)
ACCESSORIES	1x HDMI™ Cable (2.0b), 1x USB Type-C Cable, 1x Power Cord (C13), 1x Quick Guide, 4x VESA Wall Mount Screw, 1x Remote Control, 2x Battery (AAA)



SMART MONITORS

Modern MD272UPSW

LIVE SMARTER NOT HARDER

Note
HDMI™: 3840 x 2160 (Up to 60Hz)
DisplayPort: 3840 x 2160 (Up to 60Hz)
Type-C: 3840 x 2160 (Up to 60Hz)
Support: HDMI™ CEC, KVM; Non
Support: PIP/PBP

Note
HDMI™: 3840 x 2160 (Up to 60Hz)
DisplayPort: 3840 x 2160 (Up to 60Hz)
Type-C: 3840 x 2160 (Up to 60Hz)
Support: HDMI™ CEC, KVM; Non
Support: PIP/PBP
