



SPECIFICATIONS

| | |
|-------------------------------------|---|
| Marketing Name | GeForce RTX™ 5060 Ti 8G VENTUS 3X OC |
| Memory | 8GB GDDR7 |
| Graphics Engine | NVIDIA® GeForce RTX™ 5060 Ti |
| Bus Standard | PCI Express® Gen 5 x16 (uses x8) |
| Memory Interface | 128-bit |
| Core Clock Speed(MHz) | Extreme Performance: 2617 MHz (MSI Center) Boost: 2602 MHz |
| Memory Clock Speed(MHz) | 28 Gbps |
| Maximum Displays | 4 |
| Output | DisplayPort x 3 (v2.1b) HDMI™ x 1 (As specified in HDMI™ 2.1b: up to 4K 480Hz or 8K 120Hz with DSC, Gaming VRR, HDR) |
| HDCP Support | Y |
| Power consumption (W) | 180 W |
| Recommended Power Supply (W) | 600 W |
| Digital Maximum Resolution | 7680 x 4320 |
| Power Connectors | 8-pin x 1 |
| DirectX Version Support | 12 Ultimate |
| OpenGL Version Support | 4.6 |
| Card Dimension(mm) | 304 x 121 x 44 mm |
| Weight | 793 g / 1162 g |

CONNECTIONS



FEATURES



Triple Fan

Three fans and a huge heatsink ensure a cool and quiet experience for you.



TORX FAN 5.0

Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.



Solid Baseplate

A solid baseplate transfers heat from the GPU to all heat pipes for better cooling.



Reinforcing Backplate

The reinforcing backplate features a flow-through design that provides additional ventilation.



Zero Frozr

The fans completely stop when temperatures are relatively low, eliminating all noise.



DrMOS

DrMOS power stage solutions provide great efficiency with low power loss and enhanced voltage controls.



Fuse

Additional fuses built into the custom PCB provide additional safeguards against electrical damage.



MSI Center

The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.