



## SPECIFICATIONS

Socket	GeForce RTX™ 3090 SUPRIM X 24G
Socket	750 W
Socket	7680 x 4320
Socket	Y
Socket	Y
Socket	1895g / 3197g
Socket	336 x 140 x 61 mm
Socket	8-pin x 3
Socket	420W
Socket	19.5 Gbps
Socket	Extreme Performance: 1875 MHz (Dragon Center) Boost: 1860 MHz (GAMING & SILENT Mode)
Socket	10496 Units
Socket	PCI Express® Gen 4
Socket	NVIDIA® GeForce RTX™ 3090
Graphics Processing Unit	NVIDIA® GeForce RTX™ 4080 16GB
Interface	PCI Express® Gen 4
Cores	9728 Units
Core Clocks	Extreme Performance: 2610 MHz (MSI Center) Boost: 2595 MHz (GAMING & SILENT Mode)
Memory Speed	22.4 Gbps
Memory	16GB GDDR6X
Memory Bus	256-bit
Output	DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@120Hz HDR, 8K@60Hz HDR, and Variable Refresh Rate as specified in HDMI™ 2.1a)
HDCP Support	Y
Power consumption	320 W
Power connectors	16-pin x 1
Recommended PSU	850 W (Min. 750 W)
Card Dimension (mm)	336 x 142 x 78 mm
Weight (Card / Package)	2364g / 3565g
DirectX Version Support	12 Ultimate
OpenGL Version Support	4.6
Maximum Displays	4
G-SYNC® technology	Y

## FEATURES



### TRI FROZR 3S

Push performance with the latest MSI cooling design and elevate sophistication with a prestigious appearance.



### TORX FAN 5.0

Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.



### Vapor Chamber

The GPU and memory modules are covered with a Vapor Chamber which rapidly transfers heat to Core Pipes.



### Core Pipe

Precision-machined heat pipes ensure max contact and spread heat along the full length of the heatsink.



### Airflow Control

Don't sweat it, Airflow Control guides the air to exactly where it needs to be for maximum cooling.



### Zero Frozr

The fans completely stop when temperatures are relatively low, eliminating all noise.



### Metal Backplate

Thermal pads under the sturdy metal backplate provide additional cooling while the flow-through ventilation reduces trapped heat.



### Wave Curved 3.0

Additional efficiency is gained by adjusting the size of the wave edges under the fan motor and other spots where there is less airflow.

Digital Maximum Resolution 7680 x 4320

## CONNECTIONS

