



SPECIFICATIONS

Graphics Processing Unit	NVIDIA® GeForce® GT 1030
Núcleos	384 Units
Memória	4GB DDR4
Recommended PSU	300 W
Barramento Padrão	PCI Express 3.0 x16 (uses x4)
Formato	Low Profile
Interface de Memória	64-bit
Velocidade Clock Central (MHz)	Boost: 1430 MHz
Afterburner OC	Y
Velocid. Clock Memória (MHz)	2100 MHz
Máximo de Monitores	2
Suporte HDCP	2.2
Consumo de energia (W)	20 W
Saídas	DisplayPort x 1 (v1.4a) HDMI™ x 1 (Supports 4K@60Hz as specified in HDMI™ 2.0b)
Acessórios	Low Profile Bracket x 1
Suporte Versão DirectX	12
Suporte Versão OpenGL	4.5
Dimensões(mm)	150 x 69 x 19 mm
Peso	131 g / 371 g

CONNECTIONS



1. HDMI™
2. DisplayPort

FEATURES



LOW PROFILE DESIGN

Low Profile design saves space to allow building a slim/small form factor system.



OC PERFORMANCE

MSI OC graphics cards are equipped with higher clock speeds out of the box for increased performance.



Military Class 4 Components

Using only the highest quality components means you get reliable and stable in-game performance.



Afterburner

Take full control with the most recognized and widely used graphics card overlocking software in the world.