




SPECIFICATIONS

Graphics Processing Unit	NVIDIA® GeForce RTX™ 2060
Núcleos	1920 Units
Memória	6GB GDDR6
Recommended PSU	500 W
Barramento Padrão	PCI Express x16 3.0
Interface de Memória	192-bit
Velocidade Clock Central (MHz)	Boost: 1710 MHz
Velocid. Clock Memória (MHz)	14 Gbps
Máximo de Monitores	4
Tecnologia G-SYNC™	Y
Saídas	DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@60Hz as specified in HDMI™ 2.0b)
Consumo de energia (W)	160 W
Suporte HDCP	2.2
Pronta para Realidade Virtual	Y
Resolução máx. Digital	7680x4320
Conectores de energia	8-pin x 1
Suporte Versão DirectX	12 API
Suporte Versão OpenGL	4.6
Dimensões(mm)	231 x 128 x 42 mm
Peso	720 g / 1170 g

CONNECTIONS



1. DisplayPort
2. HDMI™

FEATURES



Dual Fan

Two fans and a huge heatsink ensure a cool and quiet experience for you.



Ball Bearing

Extremely durable double-ball bearings spin your TORX FANS for years of intense gaming sessions in zero noise.



Thermal Padding

An abundance of thermal pads use any chance for additional heat transfer directly from the components.



TORX FAN 2.0

Award-winning fan design combining two different fin designs for cool & quiet gaming.



Custom PCB

The custom PCB has been engineered with hardened circuits and optimized trace routing for performance and reliability.



Reinforcing Backplate

The reinforcing backplate features a flow-through design that provides additional ventilation.



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.