



SPECIFICATIONS

Graphics Processing Unit	NVIDIA® GeForce RTX™ 3050
Núcleos	2304 Units
Memória	6GB GDDR6
Recommended PSU	300 W
Barramento Padrão	PCI Express® Gen 4 x16 (uses x8)
Interface de Memória	96-bit
Velocidade Clock Central (MHz)	Boost: 1507 MHz
Velocid. Clock Memória (MHz)	14 Gbps
Máximo de Monitores	3
Tecnologia G-SYNC™	Y
Suporte HDCP	Y
Consumo de energia (W)	70 W
Saídas	DisplayPort x 1 (v1.4a) HDMI™ x 2 (Supports 4K@120Hz as specified in HDMI™ 2.1)
Resolução máx. Digital	7680x4320
Suporte Versão DirectX	12 Ultimate
Suporte Versão OpenGL	4.6
Dimensões(mm)	205 x 109 x 42 mm
Peso	464 g / 696 g

FEATURES

- Dual Fan**
 Two fans and a huge heatsink ensure a cool and quiet experience for you.
- Reinforcing Backplate**
 The reinforcing backplate features a flow-through design that provides additional ventilation.
- Custom PCB**
 The custom PCB has been engineered with hardened circuits and optimized trace routing for performance and reliability.
- MSI Center**
 The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.
- Afterburner**
 Take full control with the most recognized and widely used graphics card overclocking software in the world.

CONNECTIONS

