



SPECIFICATIONS

Graphics Processing Unit	Radeon™ RX 6500 XT
Núcleos	1024 Units
Memória	4GB GDDR6
Recommended PSU	400W
Barramento Padrão	PCI Express 4.0 x4
Interface de Memória	64-bit
Afterburner OC	Y
Velocidade Clock Central (MHz)	Boost: Up to 2825 MHz / Game: Up to 2685 MHz
Velocid. Clock Memória (MHz)	18 Gbps
Máximo de Monitores	2
Tecnologia Multi-GPU	Y
Saídas	DisplayPort x 1 (v1.4a) / HDMI™ x 1 (Supports 4K@120Hz/8K@60Hz and VRR as specified in HDMI™ 2.1)
Suporte HDCP	Y
Consumo de energia (W)	107W
Pronta para Realidade Virtual	Y
Resolução máx. Digital	7680 x 4320
Conectores de energia	6-pin x 1
Suporte Versão DirectX	12 API
Suporte Versão OpenGL	4.6
Dimensões(mm)	172 x 112 x 42 mm
Peso	452g / 806g

CONNECTIONS



1. HDMI™
2. DisplayPort

FEATURES



Zero Frozr

The fans completely stop when temperatures are relatively low, eliminating all noise.




TORX FAN 3.0

The award-winning MSI TORX Fan 3.0 design creates high static pressure and pushes the limits of thermal performance.



Dual Fan

Two fans and a huge heatsink ensure a cool and quiet experience for you.



Thermal Padding

An abundance of thermal pads use any chance for additional heat transfer directly from the components.



Custom PCB

The custom PCB has been engineered with hardened circuits and optimized trace routing for performance and reliability.



Reinforcing Backplate

The reinforcing backplate features a flow-through design that provides additional ventilation.



MSI Center

The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.



Afterburner

Take full control with the most recognized and widely used graphics card overlocking software in the world.