



SPECIFICATIONS

Marketing Name	GeForce RTX™ 5050 8G VENTUS 2X OC
Modèle	G5050-8V2C
Processeur graphique	NVIDIA® GeForce RTX™ 5050
Cœurs	2560 unités
Mémoire	8 Go GDDR6
Bus Mémoire	128-bit
Fréquence du GPU	Performances extrêmes : 2617 MHz (MSI Center) Boost : 2602 MHz
Vitesse mémoire	20 Gb/s
Nombre d'écrans supportés	4
Technologie G-SYNC™	Oui
Résolution numérique maximum	7680 x 4320
Support du procédé HDCP	Oui
Bloc d'alimentation recommandé	550 W
Connecteurs alimentation	1 x 8 broches
Sorties	3 x DisplayPort (v2.1b) 1 x HDMI™ (tel que spécifié par la norme HDMI™ 2.1b : résolution jusqu'à 4K 480 Hz ou 8K 120 Hz avec DSC, Gaming VRR et HDR)
Version OpenGL	4.6
Dimensions	197 x 120 x 41 mm
Poids	491 g / 827 g

CONNECTIONS



1. DisplayPort
2. HDMI™

FEATURES

OMRON



60+ MILLION OMRON SWITCHES

The crisp and reliable mechanical switches rated to last over 60 million clicks.



HIGH END PixArt PAW-3395 OPTICAL SENSOR

The PixArt PAW-3395 optical sensor is designed to dominate the game delivering up to 26,000 DPI, 650 IPS, and 50G acceleration.



10G Super LAN + 5G LAN

Onboard 10G plus 5G LAN provide the next level network speed, secure networking with the fastest data throughput to deliver the best online gaming experience.



EZ PCIe Clip II

Allows for easy removal of the graphics card by pressing the tail-like lock with one finger, even in the cramped case spaces.



Lightning USB 40G

Featuring a built-in USB 4 port, it offers a lightning-fast 40Gbps transmission speed.



Triple M.2 Connectors

Onboard 3x M.2 connectors with PCIe 4.0 solution, strengthened by M.2 Shield Frozr.