




SPECIFICATIONS

Model Name	GeForce RTX™ 3080 SEA HAWK X 10G LHR
Cores	8704 Units
Memory	10GB GDDR6X
Graphics Engine	NVIDIA® GeForce RTX™ 3080
Interface	PCI Express® Gen 4
Memory Interface	320-bit
Core Clock Speed(MHz)	Boost: 1785 MHz
Memory Clock Speed(MHz)	19 Gbps
Maximum Displays	4
G-SYNC™ technology	Y
Adaptive Vertical Sync	Y
Multi-GPU Technology	Y
HDCP Support	Y
Power consumption (W)	320 W
Output	DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@120Hz as specified in HDMI™ 2.1)
Digital Maximum Resolution	7680 x 4320
Recommended Power Supply (W)	750W
Virtual Reality Ready	Y
Power Connectors	8-pin x 2
DirectX Version Support	12 API
OpenGL Version Support	4.6
Card Dimension(mm)	Card: 271.4 x 125.8 x 44.3mm Cooler: 274.5 x 124.4 x 50.4mm Tube: 470 x 10.8mm

CONNECTIONS



1. DisplayPort
2. HDMI™

FEATURES



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.



Superior Cooling

The GPU is kept cool by closed loop liquid cooler while the memory and VRM's are cooled by a radial fan.



Micro-Fin Copper Base

The copper coldplate with internal micro-fin design draws heat directly from the GPU into the circulating coolant.



Aluminum Heat Radiator

Easy to install 240mm black aluminum radiator to reduce fan demand and dissipate heat efficiently.



Quick And Easy Installation

Upgrade to the power of liquid-cooled graphics in one minute or less.



Zero Frozr

The fans completely stop when temperatures are relatively low, eliminating all noise.



TORX FAN 4.0

A masterpiece of teamwork, fan blades work in pairs to create unprecedented levels of focused air pressure.



Metal Backplate

Thermal pads under the sturdy metal backplate provide additional cooling while the flow-through ventilation reduces trapped heat.