

GeForce RTX™ 5060 8G GAMING DUKE 3X







SPECIFICATIONS

| 总线接口 | PCI Express® Gen 5 x16 (uses x8) |
|--------------------|--|
| 显示芯片 | NVIDIA® GeForce RTX™ 5060 |
| 显存 | 8GB GDDR7 |
| 显存位宽 | 128-bit |
| 核心频率 | 极致模式: 2512 MHz (MSI Center) Boost模式: 2497 MHz |
| 显存速度 | 28 Gbps |
| 最大屏幕输出数 | 4 |
| G-SYNC® technology | Υ |
| 最大分辨率 | 7680 x 4320 |
| 输出接口 | DisplayPort x 3 (v2.1b) HDMI [™] x 1 (As specified in HDMI [™] 2.1b: up to 4K 480Hz or 8K 120Hz with DSC, Gaming VRR, HDR) |
| HDCP 支持 | Y |
| 建议电源 (W) | 550 W |
| 供电接口 | 8-pin x 1 |
| D: | |
| DirectX 版本支持 | 12 Ultimate |
| OpenGL 版本支持 | 12 Ultimate 4.6 |
| | |
| OpenGL 版本支持 | 4.6 |

CONNECTIONS



- 1. DisplayPort
- 2. HDMI™

FEATURES



Triple Fan

Three fans and a huge heatsink ensure a cool and quiet experience for you.



Circular Fan Design:

Circular arcs seamlessly connect the tips of the fan blades, concentrating airflow and boosting air pressure into the heatsink for enhanced thermal efficiency.



Metal Backplate

A sturdy backplate helps to strengthen the graphics card while a flow-through design reduces trapped heat.



Zero Frozr



The fans completely stop when temperatures are relatively low, eliminating all noise.



Additional fuses built into the custom PCB provide additional safeguards against electrical damage.



DrMOS

DrMOS power stage solutions provide great efficiency with low power loss and enhanced voltage controls.



MSI Center

The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.