




## SPECIFICATIONS

<b>Model Name</b>	GeForce RTX™ 4070 Ti SUPRIM X 12G
<b>Cores</b>	7680 Units
<b>Memory</b>	12GB GDDR6X
<b>Standard sběrnice</b>	PCI Express® Gen 4
<b>Rozhraní paměti</b>	192-bit
<b>Takt jádra (MHz)</b>	Extreme Performance: 2790 MHz (MSI Center) Boost: 2775 MHz (GAMING & SILENT Mode)
<b>Takt paměti (MHz)</b>	21 Gbps
<b>Max připojených displejů</b>	4
<b>Output</b>	DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@120Hz HDR, 8K@60Hz HDR, and Variable Refresh Rate as specified in HDMI™ 2.1a)
<b>HDCP podpora</b>	Y
<b>Doporučený výkon zdroje (W)</b>	750 W
<b>Digital Maximum Resolution</b>	7680x4320
<b>Napájecí kabely</b>	16-pin x 1
<b>Podpora DirectX verze</b>	12 Ultimate
<b>Podpora OpenGL verze</b>	4.6
<b>Rozměry (mm)</b>	338 x 142 x 73 mm
<b>Váha (g)</b>	2019g / 3224g

## CONNECTIONS



1. DisplayPort
2. HDMI™

## FEATURES



### TRI FROZR 3S

Push performance with the latest MSI cooling design and elevate sophistication with a prestigious appearance.



### TORX FAN 5.0

Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.



### Copper Baseplate

The CNC machined nickel-plated copper base captures heat from the GPU and the memory then rapidly transfers it to Core Pipes.



### Core Pipe

Precision-machined heat pipes ensure max contact and spread heat along the full length of the heatsink.



### Airflow Control

Sections of different heatsink fins disrupt unwanted airflow harmonics and reduce noise.



### Air Antegrade Fin

A section of V-shape heatsink and side-fins work to refocus air resistance at the passthrough.



### Aluminum Backplate

Thermal pads beneath the sturdy metal backplate provide additional cooling.



### MSI Center

The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.