




## SPECIFICATIONS

<b>Marketing Name</b>	GeForce RTX™ 5080 16G INSPIRE 3X
<b>Model Name</b>	G5080-16I3
<b>Cores</b>	10752 Units
<b>Memory</b>	16GB GDDR7
<b>Standard sběrnice</b>	PCI Express® Gen 5
<b>Rozhraní paměti</b>	256-bit
<b>Takt jádra (MHz)</b>	Extreme Performance: 2625 MHz (MSI Center) Boost: 2617 MHz
<b>Takt paměti (MHz)</b>	30 Gbps
<b>Max připojených displejů</b>	4
<b>Output</b>	DisplayPort x 3 (v2.1b) HDMI™ x 1 (As specified in HDMI™ 2.1b: up to 4K 480Hz or 8K 120Hz with DSC, Gaming VRR, HDR)
<b>HDCP podpora</b>	Y
<b>Doporučený výkon zdroje (W)</b>	850W
<b>Digital Maximum Resolution</b>	7680 x 4320
<b>Napájecí kabely</b>	16-pin x1
<b>Podpora DirectX verze</b>	12 Ultimate
<b>Podpora OpenGL verze</b>	4.6
<b>Rozměry (mm)</b>	288 x 112 x 50 mm
<b>Váha (g)</b>	950 g / 1437 g

## CONNECTIONS



1. DisplayPort
2. HDMI™

## FEATURES



### Afterburner

Take full control with the most recognized and widely used graphics card overlocking software in the world.




### Triple Fan

Three fans and a huge heatsink ensure a cool and quiet experience for you.



### MSI Center

The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.



### Zero Froz

Zero Froz is the calm before the storm, keeping fans still and maintaining silence until cooling is needed.



### Wave Curved 3.0

Additional efficiency is gained by adjusting the size of the wave edges under the fan motor and other spots where there is less airflow.



### STORMFORCE FAN

Seven fan blades, claw texturing, and a circular arc are designed for optimal airflow with minimal noise.



### Nickel-plated Copper Baseplate

Heat from the GPU and memory is swiftly captured by a nickel-plated copper baseplate and transferred.




### Core Pipes

Core Pipes feature a square design to maximize contact with the GPU baseplate for optimal thermal management.



### Metal Backplate

A sturdy metal backplate strengthens the graphics card while the airflow vent design reduces excess heat.



### Air Antegrade Fin

Fins with a V-shaped cutout are located at the airflow passthrough to improve flow efficiency.