


## SPECIFICATIONS

<b>Modèle</b>	GeForce RTX™ 4080 16G GAMING SLIM WHITE
<b>Processeur graphique</b>	NVIDIA® GeForce RTX™ 4080 16 Go
<b>Cœurs</b>	9728 unités
<b>Mémoire</b>	16 Go GDDR6X
<b>Bus Mémoire</b>	256-bit
<b>Fréquence du GPU</b>	Extreme Performance : 2520 MHz (MSI Center) Boost : 2505 MHz (Modes GAMING et SILENT)
<b>Vitesse mémoire</b>	22,4 Gb/s
<b>Nombre d'écrans supportés</b>	4
<b>Résolution numérique maximum</b>	7680 x 4320
<b>Technologie G-SYNC™</b>	Oui
<b>Support du procédé HDCP</b>	Oui
<b>Bloc d'alimentation recommandé</b>	850 watts (Min.750 watts )
<b>Connecteurs alimentation</b>	1 x 16 broches
<b>Sorties</b>	2 x DisplayPort (v1.4a) 2 x HDMI™ (Support 4K @ 120 Hz HDR, 8K @ 60 Hz HDR et de la fréquence de rafraîchissement variable telle que spécifiée par la norme HDMI™ 2.1a)
<b>Version OpenGL</b>	4.6
<b>Dimensions</b>	322 x 136 x 62 mm
<b>Poids</b>	Net : 1673 g / Brut : 2545 g

## CONNECTIONS



1. DisplayPort
2. HDMI™

## FEATURES



### TRI FROZR 3

Stay cool and quiet. MSI's TRI FROZR 3 thermal design enhances heat dissipation all around the graphics card.



### TORX FAN 5.0

Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.



### Copper Baseplate

Heat from the GPU and memory modules is captured by a copper baseplate and then rapidly transferred to Core Pipes.



### Core Pipe

Precision-machined heat pipes ensure max contact to the GPU and spread heat along the full length of the heatsink.



### Airflow Control

Sections of different heatsink fins disrupt unwanted airflow harmonics and reduce noise.



### Metal Backplate

Thermal pads under the sturdy metal backplate provide additional cooling while the flow-through ventilation reduces trapped heat.



### Dual BIOS

Dual BIOS lets you set the priority to full performance in GAMING mode or low noise in SILENT mode.



### MSI Center

The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.