

GRAPHICS CARDS GEForce GTX 1080 TI LIGHTNING







SPECIFICATIONS

Model Name	GeForce® GTX 1080 Ti LIGHTNING
Graphics Processing Unit	NVIDIA [®] GeForce [®] GTX 1080 Ti
Interface	PCI Express x16 3.0
Core Clocks	1632 MHz / 1518 MHz (Lightning Mode) 1620 MHz / 1506 MHz (Gaming Mode) 1582 MHz / 1480 MHz (Silent Mode)
CUDA [®] CORES	3584 Units
Memory Speed	11124 MHz (Lightning / Gaming Mode) 11016 MHz (Silent mode)
Memory	11GB GDDR5X
Memory Bus	352-bit
Output	DisplayPort x 2 (Version 1.4) / HDMI [™] 2.0b x 2 / DL-DVI-D
HDCP Support	2.2
Power consumption	250 W
Power connectors	8-pin x 3
Recommended PSU	750 W
Card Dimension (mm)	320 x 140 x 61 mm
Weight (Card / Package)	1707 g / 2988 g
DirectX Version Support	12
OpenGL Version Support	4.5
Multi-GPU Technology	SLI, 2-Way
Maximum Displays	4
VR Ready	Y
G-SYNC [®] technology	Y
Adaptive Vertical Sync	Y

CONNECTIONS



1. HDMI™ 2. DisplayPort 3. DVI-D

FEATURES



MSI Afterburner

The ultimate overclocking software with advanced control options and real-time hardware monitor.



RGB


Military Class 4 Components

Using only the highest quality components means you get reliable and stable in-game performance.

RGB LED

Make your build look on fire or cold as ice. You are in control. Customize colors and effects with RGB LED.

Double Ball Bearings



LEGENDARY OVERCLOCKING POTENTIAL



MSI LIGHTNING cards are designed from the ground up for extreme overclocking and extreme performance.

TRI-FROZR THERMAL DESIGN



Using three of the award-winning TORX Fans 2.0 with Double Ball Bearings, Tri-Frozr is the pinnacle of air cooling.

PERSONALIZE YOUR CARD



Customize your graphics card by applying the color highlights of your choice.

PURE DIGITAL PWM CONTROL



Enables extremely accurate control and monitoring of power delivery to specific key components.

CLOSE QUARTERS HEAT PIPES



Heat pipes infused into the Close Quarters Heatsink and Backplate for greatly improved thermal performance.

