SPECIFICATIONS

Model Name	GeForce® GTX 1660 SUPER AERO ITX V1
Graphics Processing Unit	NVIDIA® GeForce® GTX 1660 SUPER
Interface	PCI Express x16 3.0
Core Clocks	Boost: 1785 MHz
CUDA® CORES	1408 Units
Memory Speed	14 Gbps
Memory	6GB GDDR6
Memory Bus	192-bit
Output	DisplayPort x 3 (v1.4) / HDMI™ 2.0b x 1
HDCP Support	Y
Power consumption	125 W
Power connectors	8-pin x 1
Recommended PSU	450 W
Card Dimension (mm)	174 x 127 x 43 mm
Weight (Card / Package)	533g / 848g
DirectX Version Support	12 API
OpenGL Version Support	4.6
Afterburner OC	Y
Maximum Displays	4
VR Ready	Y
G-SYNC® technology	Y
Adaptive Vertical Sync	Y
Digital Maximum Resolution	7680x4320

FEATURES

MSI Afterburner

The ultimate overclocking software with advanced control options and real-time hardware monitor.

PERFECT IN ANY CASE

Thanks to a small form factor, MSI AERO ITX cards will fit into virtually any case.

SMALL FORM FACTOR

MSI AERO ITX cards offer the power of a full size graphics card in an incredibly small package.

VR Ready

Certified to provide the performance required for a smooth experience in your VR adventures.

NVIDIA® G-SYNC®

Gives you more of what you want in a gaming experience. Incredibly smooth, tear-free gameplay at refresh rates up to 240 Hz.

CONNECTIONS

1. DisplayPort
2. HDMI™

Generated 2023-05-08, check for the latest version www.msi.com/datasheet. The information provided in this document is intended for informational purposes only and is subject to change without notice.