

GeForce GTX 1660 SUPER™ VENTUS XS V2









SPECIFICATIONS

Model Name	GeForce® GTX 1660 SUPER™ VENTUS XS V2
Graphics Processing Unit	NVIDIA® GeForce® GTX 1660 SUPER™
Interface	PCI Express x16 3.0
Core Clocks	Boost:1785MHz
CUDA® CORES	1408 Units
Memory Speed	14 Gbps
Memory	6GB GDDR6
Memory Bus	192-bit
Output	DisplayPort x 3 (v1.4a) HDMI™ x 1(Supports 4K@60Hz as specified in HDMI™ 2.0b)
HDCP Support	Y
Power consumption	125 W
Power connectors	8-pin x 1
Recommended PSU	450 W
Card Dimension (mm)	205 x 127 x 43 mm
Weight (Card / Package)	729g / 1041g
DirectX Version Support	12 API
OpenGL Version Support	4.6
Maximum Displays	4
VR Ready	Υ
G-SYNC® technology	Y
Digital Maximum Resolution	7680x4320

FEATURES



MSI Afterburner

The ultimate overclocking software with advanced control options and real-time hardware monitor.



DUAL FAN THERMAL DESIGN

Dual fans covers more area of heatsink to take heat away more efficiently.



VR Ready

Certified to provide the performance required for a smooth experience in your VR adventures.





Gives you more of what you want in a gaming experience. Incredibly smooth, tear-free gameplay at refresh rates up to 240 Hz



SOLID BACKPLATE

Increases toughness of the card to prevent bending while complementing the design.

CONNECTIONS



- 1. DisplayPort
- 2. HDMI™