

GeForce RTX 2080 SUPER™ GAMING X TRIO









SPECIFICATIONS

Model Name	GeForce® RTX 2080 SUPER™ GAMING X TRIO
Graphics Processing Unit	NVIDIA® GeForce® RTX 2080 SUPER™
Interface	PCI Express x16 3.0
Core Clocks	Boost: 1845 MHz
CUDA® CORES	3072 Units
Memory Speed	15.5 Gbps
Memory	8GB GDDR6
Memory Bus	256-bit
Output	DisplayPort x 3 (v1.4a) HDMI™ x 1(Supports 4K@60Hz as specified in HDMI™ 2.0b) Type-C x 1
HDCP Support	2.2
Power consumption	250 W
Power connectors	8-pin x 2
Recommended PSU	650 W
Card Dimension (mm)	328 x 140 x 56.5 mm
Weight (Card / Package)	1531 g / 2345 g
DirectX Version Support	12 API
OpenGL Version Support	4.5
Multi-GPU Technology	NVIDIA® NVLink™ (SLI-Ready), 2-way
Maximum Displays	4
VR Ready	Y
G-SYNC® technology	Y
Adaptive Vertical Sync	Y
Digital Maximum Resolution	7680x4320

CONNECTIONS



- 1. DisplayPort
- 2. HDMI™
- 3. USB Type-C

FEATURES



MSI Afterburner

The ultimate overclocking software with advanced control options and real-time hardware monitor.



RGB LED

Make your build look on fire or cold as ice. You are in control. Customize colors and effects with RGB LED.



OC PERFORMANCE

MSI OC graphics cards are equipped with higher clock speeds out of the box for increased performance.



TRI-FROZR THERMAL DESIGN

Using three of the award-winning TORX Fans 2.0 with Double Ball Bearings, Tri-Frozr is the pinnacle of air cooling.



TORX FAN 3.0

Award-winning fan design combining two different fin designs for cool & quiet gaming.



ZERO FROZR

Eliminates fan noise by stopping the fans in low-load situations so you can focus on your game.



CUSTOM PCB

An optimized PCB design with enhanced power delivery provides a solid base for high performance gaming.



Mastery of Aerodynamics

Using groundbreaking aerodynamic techniques, the heatsink is optimized for efficient heat dissipation.