


SPECIFICATIONS


Model Name	GeForce RTX™ 3080 SEA HAWK 10G LHR
Graphics Processing Unit	NVIDIA® GeForce RTX™ 3080
Interface	PCI Express® Gen 4
Core Clocks	Boost: 1740 MHz
CUDA® CORES	8704 Units
Memory Speed	19 Gbps
Memory	10GB GDDR6X
Memory Bus	320-bit
Output	DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@120Hz as specified in HDMI™ 2.1)
HDCP Support	Y
Power consumption	320 W
Power connectors	8-pin x 2
Recommended PSU	750W
Card Dimension (mm)	Card: 271.4 x 125.8 x 44.3mm Cooler: 274.5 x 124.4 x 50.4mm Tube: 470 x 10.8mm
Weight (Card / Package)	1992g / 3100g
DirectX Version Support	12 API
OpenGL Version Support	4.6
Maximum Displays	4
VR Ready	Y
G-SYNC® technology	Y
Adaptive Vertical Sync	Y
Digital Maximum Resolution	7680 x 4320

CONNECTIONS



1. DisplayPort
2. HDMI™

FEATURES



Zero Frozr

The fans completely stop when temperatures are relatively low, eliminating all noise.



Superior Cooling

The GPU is kept cool by closed loop liquid cooler while the memory and VRM's are cooled by a radial fan.



TORX FAN 4.0

A masterpiece of teamwork, fan blades work in pairs to create unprecedented levels of focused air pressure.



Micro-Fin Copper Base

The copper coldplate with internal micro-fin design draws heat directly from the GPU into the circulating coolant.



Aluminum Heat Radiator

Easy to install 240mm black aluminum radiator to reduce fan demand and dissipate heat efficiently.



Quick And Easy Installation

Upgrade to the power of liquid-cooled graphics in one minute or less.



Metal Backplate

Thermal pads under the sturdy metal backplate provide additional cooling while the flow-through ventilation reduces trapped heat.



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.