MSi®

GeForce RTX™ 5060 8G CYCLONE









SPECIFICATIONS

Marketing Name	GeForce RTX™ 5060 8G CYCLONE
Model Name	G5060-8C
Graphics Processing Unit	NVIDIA® GeForce RTX™ 5060
Interface	PCI Express [®] Gen 5 X16 (uses x8)
Core Clocks	Extreme Performance: 2512 MHz (MSI Center) Boost: 2497 MHz
CUDA® CORES	3840 Units
Memory Speed	28 Gbps
Memory	8GB GDDR7
Memory Bus	128-bit
Output	DisplayPort x 3 (v2.1b) HDMI [™] x 1 (As specified in HDMI [™] 2.1b: up to 4K 480Hz or 8K 120Hz with DSC, Gaming VRR, HDR)
HDCP Support	Υ
Power consumption	145 W
Power connectors	8-pin x 1
Recommended PSU	550 W
Card Dimension (mm)	161x125x42mm
Weight (Card / Package)	451g / 761g
DirectX Version Support	12 Ultimate
OpenGL Version Support	4.6
Maximum Displays	4
G-SYNC® technology	Y
Digital Maximum Resolution	7680 x 4320

FEATURES



Advanced CYCLONE Cooling Design

The advanced circular thermal design dissipates heat from GPU and components effectively.



Custom Fan

The custom fan design with an optimized blade that generates more airflow and air pressure.



Solid Backplate

Increases toughness of the card to prevent bending while complementing the design.



Custom PCB

The custom PCB has been engineered with hardened circuits and optimized trace routing for performance and reliability.



Effective Thermal Padding

An abundance of thermal pads provide additional heat dissipation for board components.



MSI Center

The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.

CONNECTIONS



- ${\bf 1.\ DisplayPort}$
- 2. HDMI™