












SPECIFICATIONS

Marketing Name	GeForce RTX™ 5060 8G SHADOW 2X OC MAX
Model Name	G5060-8S2CM
Graphics Processing Unit	NVIDIA® GeForce RTX™ 5060
Interface	PCI Express® Gen 5 x16 (uses x8)
Core Clocks	Extreme Performance: 2535 MHz (MSI Center) Boost: 2527 MHz
CUDA® CORES	3840 Units
Memory Speed	28 Gbps
Memory	8GB GDDR7
Memory Bus	128-bit
Output	DisplayPort x 3 (v2.1b) HDMI™ x 1 (As specified in HDMI™ 2.1b: up to 4K 480Hz or 8K 120Hz with DSC, Gaming VRR, HDR)
HDCP Support	Y
Power consumption	145 W
Power connectors	8-pin x 1
Recommended PSU	550 W
Card Dimension (mm)	197 x 120 x 40 mm
Weight (Card / Package)	519 g / 840 g
DirectX Version Support	12 Ultimate
OpenGL Version Support	4.6
Maximum Displays	4
G-SYNC® technology	Y
Digital Maximum Resolution	7680 x 4320

CONNECTIONS



FEATURES

- 
Dual Fan
 Two fans and a huge heatsink ensure a cool and quiet experience for you.
- 
TORX FAN 5.0
 Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.
- 
Metal Backplate
 A reinforcing metal backplate with airflow vents and thermal pads enhances cooling.
- 
Zero Frozr
 The fans completely stop when temperatures are relatively low, eliminating all noise.
- 
Fuse
 Additional fuses built into the custom PCB provide additional safeguards against electrical damage.
- 
DrMOS
 DrMOS power stage solutions provide great efficiency with low power loss and enhanced voltage controls.
- 
MSI Center
 The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.
- 
Afterburner
 Take full control with the most recognized and widely used graphics card overclocking software in the world.