



SPECIFICATIONS

| | |
|----------------------------|---|
| Marketing Name | GeForce RTX™ 5060 Ti 16G SHADOW 2X OC PLUS |
| Model Name | G506T-16S2CP |
| Graphics Processing Unit | NVIDIA® GeForce RTX™ 5060 Ti |
| Interface | PCI Express® Gen 5 x16 (uses x8) |
| Core Clocks | Extreme Performance: 2617 MHz (MSI Center) Boost: 2602 MHz |
| CUDA® CORES | 4608 Units |
| Memory Speed | 28 Gbps |
| Memory | 16GB GDDR7 |
| Memory Bus | 128-bit |
| Output | DisplayPort x 3 (v2.1b) HDMI™ x 1 (As specified in HDMI™ 2.1b: up to 4K 480Hz or 8K 120Hz with DSC, Gaming VRR, HDR) |
| HDCP Support | Y |
| Power consumption | 180 W |
| Power connectors | 8-pin x 1 |
| Recommended PSU | 600 W |
| Card Dimension (mm) | 226 x 126 x 41 mm |
| Weight (Card / Package) | 578 g / 851 g |
| DirectX Version Support | 12 Ultimate |
| OpenGL Version Support | 4.6 |
| Maximum Displays | 4 |
| G-SYNC® technology | Y |
| Digital Maximum Resolution | 7680 x 4320 |

CONNECTIONS



1. DisplayPort
2. HDMI™

FEATURES

Dual Fan



Two fans and a huge heatsink ensure a cool and quiet experience for you.

STORMFORCE FAN




Seven fan blades, claw texturing, and a circular arc are designed for optimal airflow with minimal noise.

Metal Backplate



A reinforcing metal backplate with airflow vents and thermal pads enhances cooling.

Zero Frozr



The fans completely stop when temperatures are relatively low, eliminating all noise.

DrMOS



DrMOS power stage solutions provide great efficiency with low power loss and enhanced voltage controls.

Fuse



Additional fuses built into the custom PCB provide additional safeguards against electrical damage.

MSI Center



The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.

Afterburner



Take full control with the most recognized and widely used graphics card overclocking software in the world.