


SPECIFICATIONS

Model Name	GeForce RTX™ 3080 SEA HAWK 10G LHR
Cores	8704 Units
Memory	10GB GDDR6X
G-SYNC™ technology	Y
Graphics Processing Unit	NVIDIA® GeForce RTX™ 3080
Adaptive Vertical Sync	Y
Interface	PCI Express® Gen 4
Boost / Base Core Clock	Boost: 1740 MHz
Memory Interface	320-bit
Memory Clock Speed (MHz)	19 Gbps
Output	DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@120Hz as specified in HDMI™ 2.1)
Virtual Reality Ready	Y
Maximum Displays	4
HDCP Support	Y
DirectX Version Support	12 API
Card Dimension(mm)	Card: 271.4 x 125.8 x 44.3mm Cooler: 274.5 x 124.4 x 50.4mm Tube: 470 x 10.8mm
Card Weight (g)	1992g / 3100g
Power consumption (W)	320 W
Recommended PSU (W)	750W
Power Connectors	8-pin x 2

CONNECTIONS



1. DisplayPort
2. HDMI™

FEATURES



Afterburner

Take full control with the most recognized and widely used graphics card overlocking software in the world.




TORX FAN 4.0

A masterpiece of teamwork, fan blades work in pairs to create unprecedented levels of focused air pressure.



Metal Backplate

Thermal pads under the sturdy metal backplate provide additional cooling while the flow-through ventilation reduces trapped heat.



Zero Frozr

Zero Frozr is the calm before the storm, keeping fans still and maintaining silence until cooling is needed.



Superior Cooling

The GPU is kept cool by closed loop liquid cooler while the memory and VRM's are cooled by a radial fan.



Micro-Fin Copper Base

The copper coldplate with internal micro-fin design draws heat directly from the GPU into the circulating coolant.



Aluminum Heat Radiator

Easy to install 240mm black aluminum radiator to reduce fan demand and dissipate heat efficiently.



Quick And Easy Installation

Upgrade to the power of liquid-cooled graphics in one minute or less.