SPECIFICATIONS

Cores	10496 Units
Memory	24GB GDDR6X
Graphics Engine	NVIDIA® GeForce RTX™ 3090
Bus Standard	PCI Express® Gen 4
Interfaccia Memoria	384-bit
Velocitò Core Clock (MHz)	Boost: 1695 MHz
Velocità Memory Clock (MHz)	19.5 Gbps
Schermi massimi	4
Output	DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@120Hz as specified in HDMI™ 2.1)
Consumi Energetici (W)	350W
Supporto HDCP	Y
Alimentatore raccomandato (W)	750W
Virtual Reality Ready	Y
Digital Maximum Resolution	7680x4320
Connettori di alimentazione	8-pin x 2
Versione DirectX Supportata	12 API
Versione OpenGL Supportata	4.6
Dimensioni scheda (mm)	305 x 120 x 57 mm
Peso	1387g / 2004g

## CONNECTIONS

1. DisplayPort
2. HDMI™

FEATURES

Dragon Center

MSI's exclusive Dragon Center software lets you monitor, tweak and optimize MSI products in real-time.

Triple Fan

Three fans and a huge heatsink ensure a cool and quiet experience for you.

Core Pipe

Precision-machined heat pipes ensure max contact and spread heat along the full length of the heatsink.

Custom PCB

The custom PCB has been engineered with hardened circuits and optimized trace routing for performance and reliability.

TORX FAN 3.0

The award-winning MSI TORX Fan 3.0 design creates high static pressure and pushes the limits of thermal performance.

Zero Frozr

Zero Frozr is the calm before the storm, keeping fans still and maintaining silence until cooling is needed.

Thermal Padding

An abundance of thermal pads use any chance for additional heat transfer directly from the components.