




SPECIFICATIONS

Cores	7680 Units
Memory	12GB GDDR6X
Velocità Core Clock (MHz)	Extreme Performance: 2625 MHz (MSI Center) Boost: 2610 MHz (GAMING & SILENT Mode)
Velocità Memory Clock (MHz)	21 Gbps
Schermi massimi	4
Output	DisplayPort x 3 (v1.4a) □ HDMI™ x 1 (Supports 4K@120Hz HDR, 8K@60Hz HDR, and Variable Refresh Rate as specified in HDMI™ 2.1a)
Consumi Energetici (W)	285 W
Digital Maximum Resolution	7680 x 4320
Alimentatore raccomandato (W)	700 W
Connettori di alimentazione	16-pin x 1
Versione DirectX Supportata	12 Ultimate
Versione OpenGL Supportata	4.6
Dimensioni scheda (mm)	337 x 140 x 62 mm
Peso	1613 g / 2522 g
Dimensions	337 x 140 x 62 mm

CONNECTIONS



FEATURES



TRI FROZR 3

Stay cool and quiet. MSI's TRI FROZR 3 thermal design enhances heat dissipation all around the graphics card.



TORX FAN 5.0

Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.



Copper Baseplate

The CNC machined nickel-plated copper base captures heat from the GPU and the memory then rapidly transfers it to Core Pipes.



Core Pipe

Precision-machined heat pipes ensure max contact and spread heat along the full length of the heatsink.



Airflow Control

Wave-curved 3.0 fin edges disrupt unwanted airflow harmonics resulting in reduced noise.



Anti Bending

A die-cast anti-bending plate reinforces the card while thermal pads allow cooling to reach critical component underneath.



Aluminum Backplate

Thermal pads beneath the sturdy metal backplate provide additional cooling.



Dual BIOS

Dual BIOS lets you set the priority to full performance in GAMING mode or low noise in SILENT mode.