




SPECIFICATIONS

Cores	7680 Units
Memory	12GB GDDR6X
Velocità Core Clock (MHz)	Extreme Performance: 2760 MHz (MSI Center) Boost: 2745 MHz (GAMING & SILENT Mode)
Velocità Memory Clock (MHz)	21 Gbps
Schermi massimi	4
Consumi Energetici (W)	285W
Output	DisplayPort x 3 (up to v2.1) HDMI™ x 1 (Supports 4K@120Hz/8K@60Hz and VRR as specified in HDMI™ 2.1)
Alimentatore raccomandato (W)	700W
Digital Maximum Resolution	7680 x 4320
Connettori di alimentazione	16pin x 1
Versione DirectX Supportata	12 Ultimate
Versione OpenGL Supportata	4.6
Peso	1599g/2580g

CONNECTIONS



FEATURES



TRI FROZR 3

Stay cool and quiet. MSI's TRI FROZR 3 thermal design enhances heat dissipation all around the graphics card.



TORX FAN 5.0

Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.



Copper Baseplate

The CNC machined nickel-plated copper base captures heat from the GPU and the memory then rapidly transfers it to Core Pipes.



Core Pipe

Precision-machined heat pipes ensure max contact to the GPU and spread heat along the full length of the heatsink.



Airflow Control

Sections of different heatsink fins disrupt unwanted airflow harmonics and reduce noise.



Anti Bending

A die-cast anti-bending plate reinforces the card while thermal pads allow cooling to reach critical component underneath.



Metal Backplate

Thermal pads under the sturdy metal backplate provide additional cooling while the flow-through ventilation reduces trapped heat.



Dual BIOS

Dual BIOS lets you set the priority to full performance in GAMING mode or low noise in SILENT mode.