




SPECIFICATIONS

Core Clocks	Extreme Performance: 2625 MHz (MSI Center) Boost: 2610 MHz
Núcleos	8448 Units
Memoria	16GB GDDR6X
Output	DisplayPort x 3 (v1.4a) HDMI™ x 1 (Supports 4K@120Hz HDR and 8K@60Hz HDR and Variable Refresh Rate (VRR) as specified in HDMI 2.1a)
Motor de gráficos	NVIDIA® GeForce RTX™ 4070 Ti SUPER
Máximo de pantallas	4
Tecnología G-SYNC™	Y
Resolución máxima digital	7680 x 4320
Alimentación recomendada (W)	700 W
Conectores de alimentación	16-pin x 1
Soporte OpenGL Versión	4.6
Dimensiones (mm)	307 x 125 x 51 mm

CONNECTIONS



FEATURES

- TRI FROZR 3**
Stay cool and quiet. MSI's TRI FROZR 3 thermal design enhances heat dissipation all around the graphics card.
- TORX FAN 5.0**
Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.
- Airflow Control**
Sections of different heatsink fins disrupt unwanted airflow harmonics and reduce noise.
- Copper Baseplate**
A solid nickel-plated copper baseplate transfers heat from the GPU to all heat pipes for better cooling.
- Core Pipe**
Precision-machined heat pipes ensure max contact to the GPU and spread heat along the full length of the heatsink.
- Metal Backplate**
A sturdy backplate helps to strengthen the graphics card while a flow-through design reduces trapped heat.
- Zero Frozr**
The fans completely stop when temperatures are relatively low, eliminating all noise.
- MSI Center**
The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.