



SPECIFICATIONS

Socket	4.6
Socket	8-pin x 2
Socket	1
Socket	1
Socket	8GB GDDR6
Socket	Y
Socket	Y
Socket	5888 Units
Socket	GeForce RTX™ 3070 VENTUS 2X OC
Socket	7680x4320
Socket	DisplayPort x 3 (v1.4a) / HDMI™ 2.1 x 1
Socket	12 API
Socket	Y
Socket	650W
Socket	PCI Express® Gen 4
Socket	Y
Socket	14 Gbps
Socket	220W
Socket	256-bit
Socket	1755 MHz
Socket	NVIDIA® GeForce RTX™ 3070
Socket	232 x 124 x 52 mm
Socket	832g / 1255g
Socket	1/1
Socket	4
Stream Processors	2560 Units
Afterburner OC	Y


CONNECTIONS

FEATURES



Dual Fan

Two fans and a huge heatsink ensure a cool and quiet experience for you.




Zero Frozr

Zero Frozr is the calm before the storm, keeping fans still and maintaining silence until cooling is needed.



TORX FAN 3.0

The award-winning MSI TORX Fan 3.0 design creates high static pressure and pushes the limits of thermal performance.



Thermal Padding

An abundance of thermal pads use any chance for additional heat transfer directly from the components.



Custom PCB

The custom PCB has been engineered with hardened circuits and optimized trace routing for performance and reliability.




Afterburner

Take full control with the most recognized and widely used graphics card overlocking software in the world.



Dragon Center

MSI's exclusive Dragon Center software lets you monitor, tweak and optimize MSI products in real-time.



1. DisplayPort
2. HDMI™