


SPECIFICATIONS

| | |
|-------------------------------------|--|
| Memory | 16GB GDDR6X |
| Power connectors | 16-pin x 1 |
| Grafik Motoru | NVIDIA® GeForce RTX™ 4080 16GB |
| Veriyolu Standardı | PCI Express® Gen 4 |
| Bellek Arayüzü | 256-bit |
| Çekirdek Hızı(MHz) | Extreme Performance: 2610 MHz (MSI Center) Boost: 2595 MHz (GAMING & SILENT Mode) |
| Bellek Hızı(MHz) | 22.4 Gbps |
| Maximum Displays | 4 |
| Power consumption (W) | 320 W |
| Output | DisplayPort x 2 (v1.4a) HDMI™ x 2 (Supports 4K@120Hz HDR, 8K@60Hz HDR, and Variable Refresh Rate as specified in HDMI 2.1a) |
| HDCP Desteği | Y |
| Recommended Power Supply (W) | 850 W (Min.750 W) |
| Digital Maximum Resolution | 7680 x 4320 |
| DirectX Desteği | 12 Ultimate |
| Boyutlar (mm) | 322 x 136 x 62 mm |

CONNECTIONS



FEATURES

- TRI FROZR 3**
Stay cool and quiet. MSI's TRI FROZR 3 thermal design enhances heat dissipation all around the graphics card.
- TORX FAN 5.0**
Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.
- Copper Baseplate**
Heat from the GPU and memory modules is captured by a copper baseplate and then rapidly transferred to Core Pipes.
- Core Pipe**
Precision-machined heat pipes ensure max contact to the GPU and spread heat along the full length of the heatsink.
- Airflow Control**
Sections of different heatsink fins disrupt unwanted airflow harmonics and reduce noise.
- Metal Backplate**
Thermal pads under the sturdy metal backplate provide additional cooling while the flow-through ventilation reduces trapped heat.
- Dual BIOS**
Dual BIOS lets you set the priority to full performance in GAMING mode or low noise in SILENT mode.
- MSI Center**
The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.