




SPECIFICATIONS

Graphics Processing Unit	NVIDIA® GeForce RTX™ 4080 SUPER
Model Name	GeForce RTX™ 4080 SUPER 16G GAMING SLIM
Cores	10240 Units
Memory	16GB GDDR6X
Power connectors	16-pin x 1
Memory Interface	256-bit
Core Clocks	Extreme Performance: 2565 MHz (MSI Center) Boost: 2550 MHz (GAMING & SILENT Mode)
Memory Speed	23 Gbps
Maximum Displays	4
Digital Maximum Resolution	7680 x 4320
Power consumption (W)	320 W
Output	DisplayPort x 2 (v1.4a) HDMI™ x 2 (Supports 4K@120Hz HDR, 8K@60Hz HDR, and Variable Refresh Rate as specified in HDMI 2.1a)
Recommended Power Supply (W)	850 W (Min.750 W)
DirectX Version Support	12 Ultimate
Card Dimension(mm)	322 x 136 x 62 mm
Weight	1628 g / 2327 g

CONNECTIONS



FEATURES

- TRI FROZR 3**
 Stay cool and quiet. MSI's TRI FROZR 3 thermal design enhances heat dissipation all around the graphics card.
- TORX FAN 5.0**
 Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.
- Copper Baseplate**
 Heat from the GPU and memory modules is captured by a copper baseplate and then rapidly transferred to Core Pipes.
- Core Pipe**
 Precision-machined heat pipes ensure max contact to the GPU and spread heat along the full length of the heatsink.
- Airflow Control**
 Sections of different heatsink fins disrupt unwanted airflow harmonics and reduce noise.
- Metal Backplate**
 A sturdy backplate helps to strengthen the graphics card while a flow-through design reduces trapped heat.
- Dual BIOS**
 Dual BIOS lets you set the priority to full performance in GAMING mode or low noise in SILENT mode.
- MSI Center**
 The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.