GeForce RTX™ 3050 VENTUS 2X 6G OC









SPECIFICATIONS

Model Name	GeForce RTX™ 3050 VENTUS 2X 6G OC
Graphics Processing Unit	NVIDIA® GeForce RTX™ 3050
Interface	PCI Express [®] Gen 4 x16 (uses x8)
Core Clocks	Boost: 1492 MHz
Cores	2304 Units
Memory Speed	14 Gbps
Memory	6GB GDDR6
Memory Bus	96-bit
Output	DisplayPort x 1 (v1.4a) HDMI [™] x 2 (Supports 4K@120Hz as specified in HDMI [™] 2.1)
HDCP Support	Y
Power consumption	70 W
Recommended PSU (W)	300 W
Card Dimension(mm)	189 x 109 x 42 mm
Weight (Card / Package)	381 g / 610 g
OpenGL Version Support	4.6
Maximum Displays	3
G-SYNC™ technology	Υ
Digital Maximum Resolution	7680 x 4320

FEATURES



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.



Afterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.

CONNECTIONS



- 1. DisplayPort
- 2. HDMI™