

# **GeForce RTX™ 5070 Ti 16G SHADOW 3X OC**







# **SPECIFICATIONS**

Marketing Name	GeForce RTX™ 5070 Ti 16G SHADOW 3X OC
Model Name	G507T-16S3C
Graphics Processing Unit	NVIDIA® GeForce RTX™ 5070 Ti
Interface	PCI Express® Gen 5
Core Clocks	Extreme Performance: 2497 MHz (MSI Center) Boost: 2482 MHz
Cores	8960 Units
Memory	16GB GDDR7
Memory Bus	256-bit
Output	DisplayPort x 3 (v2.1b) HDMI™ x 1 (As specified in HDMI™ 2.1b: up to 4K 480Hz or 8K 120Hz with DSC, Gaming VRR, HDR)
HDCP Support	Υ
Power consumption	300 W
Power Connectors	16-pin x 1
Recommended PSU (W)	750 W
Card Dimension(mm)	303 x 121 x 49 mm
Weight (Card / Package)	994 g / TBD
Maximum Displays	4
<b>G-SYNC™</b> technology	Υ
Digital Maximum Resolution	7680 x 4320

## **CONNECTIONS**



## **FEATURES**



## Triple Fan

Three fans and a huge heatsink ensure a cool and quiet experience for you.



## **TORX FAN 5.0**

Fan blades linked by ring arcs and a fan cowl work together to stabilize and maintain high-pressure airflow.



## Nickel-plated Copper Baseplate

Heat from the GPU and memory is swiftly captured by a nickel-plated copper baseplate and transferred.



#### **Core Pipes**

Core Pipes feature a square design to maximize contact with the GPU baseplate for optimal thermal management.



## **Reinforcing Backplate**

The reinforcing backplate features a flow-through design that provides additional ventilation.



## Zero Frozr

The fans completely stop when temperatures are relatively low, eliminating all noise.



## Fuse

Additional fuses built into the custom PCB provide additional safeguards against electrical damage.



# DrMOS

DrMOS power stage solutions provide great efficiency with low power loss and enhanced voltage controls.



#### MSI Center

The exclusive MSI Center software lets you monitor, tweak and optimize MSI products in real-time.



#### fterburner

Take full control with the most recognized and widely used graphics card overclocking software in the world.