

Memory Modules

PC2100 DDR RAM (DDR-266)

System Configuration				
	Manufacturer	Model No.	Spec.	
Device Configuration	Processor	Intel	P4 2.6GHz 400MHz	
	Memory	As Follows		
	VGA Card	MSI	MS-8907 Ver:200	Geforce FX5200
	Lan Card	Onboard		
	Sound Card	Onboard		
	Hard Drive	WD	205BA	20.5GB, ATA-66
	CD-ROM	Lite-On	LTN-526S	52X
	Floppy Drive	Teac	FD-235HF	
	Power Supply	TGR	FA-250N10	
	Mouse	Logitech	PS2	
	Keyboard	Nax	KB-6868 PS2	
	Monitor	ViewSonic	PF775	
SW Info	VGA BIOS	4.34.20.22.00		
	VGA Driver	6.14.10.4403		

	Model	Size	R.S.T
Mosel	V8A6516K04SATG-75	128MB	OK
	(Mosel V58C2128804SAT75)		OK
Nanya	NT128D64SH4B1G-75B	128MB	OK
	(Nanya NT5DS16M16BT-75B)		OK
Mosel	V826532K04SATG-B0	256MB	OK
	(Mosel V58C2128804SAT75)		OK
Nanya	NT256D64S88B0G-75B	256MB	OK
	(Nanya NT5DS32M8BT-75B)		OK
NEXS	NXDL32M64VG-75	256MB	OK
	(Micron MT46V32M8TG-75B)		OK
SEC	M368L3313DTL-CB0	256MB	OK
	(SEC K4H280838D-TCB0)		OK
Toshiba	THMD25N11B70	256MB	OK
	(Toshiba TC59WM807BFT-70)		OK
Infineon	HYS64D64020GU-7-A	512MB	OK
	(Infineon HYB25D256800AT-7A)		OK
Micron	MT16VDDT6464AG-265GB	512MB	OK
	(Micron MT46V32M8TG-75G)		OK

SEC	M368L6423DTL-CB0	512MB	OK
	(SEC K4H560838D-TCB0)		OK
Nanya	NT1GD64S8HA0F-75B	1G	OK
	(Nanya NT5DS64M8AF-7B)		OK

Model	Size	R.S.T
Nanya NT5DS16M16BT-75B	128MB	OK
WinBond W942516AH-7	128MB	
Mosel V58C2128804SAT75	128MB	
Nanya NT5DS16M16BT-75B	128MB	OK
WinBond W942516AH-7	128MB	
Mosel V58C2128804SAT75	128MB	
Micron MT46V16M8TG-75A	128MB	OK
Nanya NT5DS16M16BT-75B	128MB	
WinBond W942516AH-7	128MB	
Micron MT46V16M8TG-75A	128MB	OK
Nanya NT5DS16M16BT-75B	128MB	
WinBond W942516AH-7	128MB	
Micron MT46V16M8TG-75B	256MB	OK
Nanya NT5DS32M8BT-75B	256MB	
Toshiba TC59WM807BFT-70	256MB	
Micron MT46V16M8TG-75B	256MB	OK
Nanya NT5DS32M8BT-75B	256MB	
Toshiba TC59WM807BFT-70	256MB	
Infineon HYB25D256800T-7	256MB	OK
WinBond W942508AH-7	256MB	
Mosel V58C2128804SAT75	256MB	
Infineon HYB25D256800T-7	256MB	OK
WinBond W942508AH-7	256MB	
Mosel V58C2128804SAT75	256MB	
Micron MT46V16M8TG-75B	256MB	OK
Nanya NT5DS32M8BT-75B	256MB	
SEC K4H280838D-TCB0	256MB	
Micron MT46V16M8TG-75B	256MB	OK
Nanya NT5DS32M8BT-75B	256MB	
SEC K4H280838D-TCB0	256MB	
SEC (KingMax) K4H280838B-TCB0	128MB	OK
SEC K4H280838D-TCB0	256MB	
SEC K4H560838D-TCB0	512MB	
SEC (KingMax) K4H280838B-TCB0	128MB	

SEC	K4H560838D-TCBO	512MB	OK
SEC	K4H560838D-TCBO	512MB	
SEC	K4H280838D-TCBO	256MB	
SEC	K4H280838D-TCBO	256MB	OK
SEC	K4H560838D-TCBO	512MB	
SEC (KingMax)	K4H280838B-TCBO	128MB	
SEC	K4H280838D-TCBO	256MB	OK
SEC	K4H280838D-TCBO	256MB	

PC2700 DDR RAM (DDR-333)

System Configuration			
	Manufacturer	Model No.	Spec.
Device Configuration	Processor	Intel	P4 2.8GHz 533MHz
	Memory	As Follows	
	VGA Card	MSI	MS-8907 Ver:200 Geforce FX5200
	Lan Card	Onboard	
	Sound Card	Onboard	
	Hard Drive	WD	205BA 20.5GB, ATA-66
	CD-ROM	Lite-On	LTN-526S 52X
	Floppy Drive	Teac	FD-235HF
	Power Supply	TGR	FA-250N10
	Mouse	Logitech	PS2
	Keyboard	Nax	KB-6868 PS2
	Monitor	ViewSonic	PF775
SW Info	VGA BIOS	4.34.20.22.00	
	VGA Driver	6.14.10.4403	

	Model	Size	R.S.T
Hynix	HYMD116645B8J-J	128MB	OK
	(Hynix HY5DU28822BT-J)		OK
Infineon	HYS64D16301GU-6-B	128MB	OK
	(Infineon HYB25D256160BT-6B)		OK
Micron	MT4VDDT1664AG-335C3 SG	128MB	OK
	(Micron MT46V16M16TG-6T C)		OK
Nanya	NT128D64SH4B1G-6K	128MB	OK
	(Nanya NT5DS16M16BT-6K)		OK
SEC	M368L1713DTM-CB3	128MB	OK
	(SEC K4H280838D-TCB3)		OK
Apacer	77.10628.155	256MB	OK
	(Apacer AM3A568ACT-6B)		OK

Apacer	77.10628.112 (Infineon HYB25D256800BT-6B)	256MB	OK
			OK
Apacer	77.10628.462 (SEC K4H560838D-TCB3)	256MB	OK
			OK
CORSAIR	CMX256A-2700C2 XMS2700V1.1	256MB	OK
			OK
Hynix	HYMD232646A8J-J (Hynix HY5DU56822AT-J)	256MB	OK
			OK
Hynix	HYMD232646B8J-J (Hynix HY5DU56822BT-J)	256MB	OK
			OK
Hynix	HYMD132645B8J-J (Hynix HY5DU28822BT-J)	256MB	OK
			OK
Infineon	HYS64D32300GU-6-B (Infineon HYB25D256800BT-6B)	256MB	OK
			OK
Kingston	KVR333X64C25/256 (9905192-001) (Winbond W942508BH-6)	256MB	OK
			OK
LEGEND	L3264D36-643HDC5B (Hynix HY5DU56822AT-J)	256MB	OK
			OK
LEGEND	L3264D36-643HDC5B (Hynix HY5DU56822BT-J)	256MB	OK
			OK
MDT	DDR PC333 1Bank 256M Chip M256-333-8 (MDT MDT25D25680S-6)	256MB	OK
			OK
Nanya	NT256D64S88B1G-6K (Nanya NT5DS32M8BT-6K)	256MB	OK
			OK
Nanya	NT256D64S88C0G-6K (Nanya NT5DS32M8CT-6K)	256MB	OK
			OK
SEC	M368L3223DTM-CB3 (SEC K4H560838D-TCB3)	256MB	OK
			OK
SEC	M368L3223ETN-CB3 (SEC K4H560838E-TCB3)	256MB	OK
			OK
Spectek	P32M648HHC-6A (Spectek AES80032VMCTW-6A)	256MB	OK
			OK
Transcend	(SEC K4H280838D-TCB3)	256MB	OK
			OK
Transcend	TS32MLD64V3F5 (Mosel V58C2256804SAT6)	256MB	OK
			OK
Apacer	77.10728.460 (SEC K4H560838D-TCB3)	512MB	OK
			OK
Crucial/Micron	BG111DR.7G (Micron MT46V32M8TG-6T)	512MB	OK
			OK
GeIL	GE5122700 (GL3LC32G88TG-6)	512MB	OK
			OK

Hynix	HYMD264646A8J-J (Hynix HY5DU56822AT-J)	512MB	OK
			OK
Hynix	HYMD264646B8J-J (Hynix HY5DU56822BT-J)	512MB	OK
			OK
Infineon	HYS64D64320GU-6-B (Infineon HYB25D256800BT-6B)	512MB	OK
			OK
Kingston	KVR333X64C25/512 (Winbond W942508BH-6)	512MB	OK
			OK
MDT	DDR PC333 2Bank 256M Chip M512-333-16 (MDT MDT25D25680S-6)	512MB	OK
			OK
Micron	MT16VDDT6464AG-335C4 US (Micron MT46V32M8TG-6T C)	512MB	OK
			OK
Nanya	NT512D64S8HB1G-6K (Nanya NT5DS32M8BT-6K)	512MB	OK
			OK
Nanya	NT512D64S8HC0G-6K (Nanya NT5DS32M8CT-6K)	512MB	OK
			OK
PSC	AL6D8B53T-6B1K (PSC A2S56D30BTP-6)	512MB	OK
			OK
SEC	M368L6423DTM-CB3 (SEC K4H560838D-TCB3)	512MB	OK
			OK
SEC	M368L6423ETN-CB3 (SEC K4H560838E-TCB3)	512MB	OK
			OK
SEC	M368L6423FTN-CB3 (SEC K4H560838F-TCB3)	512MB	OK
			OK
Spectek	P64M6416HHB-6A (Spectek AHS40064VMBTW-6A)	512MB	OK
			OK
Transcend	TS64MLD64V3F5 (Mosel V58C2256804SAT6)	512MB	OK
			OK
Transcend	TS128MLD64V3J (SEC K4H510838B-TCB3)	1G	OK
			OK
Apacer	77.11146.684 (SEC K4H560438D-TCB3)	1GB	OK
			OK
Kingston	KVR333X64C25/1G (Infineon HYB25D512800AT-6 A)	1GB	OK
			OK
Micron	MT16VDDT12864AG-335DB (Micron MT46V64M8TG-6T D)	1G	OK
			OK
Nanya	NT1GD64S8HA0F-6K (Nanya NT5DS64M8AF-6K)	1GB	OK
			OK
SEC	M368L2923BTN-CB3 (SEC K4H560838B-TCB3)	1GB	OK
			OK
Hynix	HYMD512646A8J-J (Hynix HY5DU12822AT-J)	1G	OK
			OK

PC3200 DDR RAM (DDR-400)

System Configuration				
Device Configuration		Manufacturer	Model No.	Spec.
	Processor	Intel	P4 2.6GHz	800MHz
	Memory	As Follows		
	VGA Card	MSI	MS-8907 Ver:200	Geforce FX5200
	Lan Card	Onboard		
	Sound Card	Onboard		
	Hard Drive	Quantum	Fireball Plus KX27300AT	27.3GB, ATA-66
	CD-ROM	Teac	CD-540E	40X
	Floppy Drive	Teac	FD-235HF	
	Power Supply	Delta	DPS-300KB-1A	
	Mouse	Logitech	PS2	
Keyboard	Nax	KB-6868 PS2		
Monitor	ViewSonic	PF775		
SW Info	VGA BIOS	4.34.20.22.00		
	VGA Driver	6.14.10.4403		

Model		Size	R.S.T
Infineon	HYS64D16301GU-5-B	128MB	OK
	(Infineon HYB25D256160BT-5)		OK
Nanya	NT128D64SH4B1G-5	128MB	OK
	(Nanya NT5DS16M16BT-5)		OK
Nanya	NT128D64SH4B1G-5T	128MB	OK
	(Nanya NT5DS16M16BT-5T)		OK
A-DATA	MD0M05F3G31JB1EAZ	256MB	OK
	(Mosel V58C2256804SAT5)		OK
A-DATA	MD0WB5F3G31JD1EZZ	256MB	OK
	(WinBond W942508CH-5)		OK
Apacer	73.85397.460	256MB	OK
	(SEC K4H560838D-TCC4)		OK
Apacer	77.10636.115	256MB	OK
	(Infineon HYB25D256800BT-5B)		OK
Apacer	77.10639.535	256MB	OK
	(PSC A2S56D30ATP-5)		OK
Apacer	77.10636.555	256MB	OK
	(Hynix HY5DU56822BT-D43)		OK

ATP	AG32L72T8SQC4S (SEC K4H560838D-TCC4) ECC	256MB	OK
			OK
CORSAIR	CMX256A-3500C2PT XMS3502 V1.1	256MB	OK
			OK
CORSAIR	CMX256A-3200LL XMS3205V1.2	256MB	OK
			OK
Crucial/Micron	BQ1118L.FT (Micron MT46V32M8TG-5B)	256MB	OK
			OK
Elixir	M2U25664DS88B3G-5T (Elixir N2DS25680BT-5T)	256MB	OK
			OK
GeIL	GL2563200U (Geil GL3LC32G88TG-5A)	256MB	OK
			OK
GeIL	GE2563200B	256MB	OK
			OK
GeIL	GD3200-512DC	256MB	OK
			OK
Hynix	HYMD232646A8J-D43 (Hynix HY5DU56822AT-D43)	256MB	OK
			OK
Hynix	HYMD232646B8J-D43 (Hynix HY5DU56822BT-D43)	256MB	OK
			OK
Infineon	HYS64D32300GU-5-B (Infineon HYB25D256800BT-5)	256MB	OK
			OK
Infineon	HYS64D32300HU-5-C (Infineon HYB25D256800CE-5C)	256MB	OK
			OK
KINGMAX	MPXB62D-38KT3R (KINGMAX KDL388P4EA-50)	256MB	OK
			OK
Kingston	KVR400X64C25/256 (Winbond W942508BH-5)	256MB	OK
			OK
LEGEND	L3264D37-643HDC9B (Hynix HY5DU56822BT-D43)	256MB	OK
			OK
MDT	DDR PC400 1Bnak 256M Chip M256-400-8 (MDT MDT25D25680S-5)	256MB	OK
			OK
Micron	MT8VDDT3264AG-40BC4 (Micron MT46V32M8TG-5B C)	256MB	OK
			OK
Nanya	NT256D64S88B1G-5T (Nanya NT5DS32M8BT-5T)	256MB	OK
			OK
Nanya	NT256D64S88C0G-5T (Nanya NT5DS32M8CT-5T)	256MB	OK
			OK
NEXS	NXDL32M64VG-5 (Micron MT46V32M8TG-5BC)	256MB	OK
			OK
OCZ	OCZ400256EL	256MB	OK
			OK

OCZ	OCZ400256ELDCPE-K	256MB	OK
			OK
ProMOS	V826632K24SBTG-D3 (ProMOS V58C2256804SBT5)	256MB	OK
			OK
PSC	AL5D8B53T-5B1K (PSC A2S56D30BTP -5)	256MB	OK
			OK
SEC	M368L3223ETM-CCC (SEC K4H560838E-TCCC)	256MB	OK
			OK
SEC	M368L3223FTN-CCC (SEC K4H560838F-TCCC)	256MB	OK
			OK
Swissbit	SDU03264B4B31MT-50 (Micron MT46V32M8TG-5B)	256MB	OK
			OK
TwinMOS	M2G9108A-TT (TwinMOS TMD7608F8E50D)	256MB	OK
			OK
Transcend	TS32MLD64V4F3 (SEC K4H560838D-TCCC)	256MB	OK
			OK
Transcend	TS32MLD64V4F3 (Mosel V58C2256804SAT5B)	256MB	OK
			OK
Winbond	W9425GCDB-5 (WinBond W942508CH-5)	256MB	OK
			OK
A-DATA	MDGVD5F3H4710D8E02 (A-DATA ADD8608A8A-5B)	512MB	OK
			OK
Apacer	77.10736.56G (Mosel V58C2256804SAT5B)	512MB	OK
			OK
CORSAIR	CMX512-3500C2PT XMS3502 V1.1	512MB	OK
			OK
Crucial/Micron	BG111DB.FB (Micron MT46V32M8TG-5B) ECC	512MB	OK
			OK
Elixir	M2U51264DS8HB3G-5T (elixir N2DS25680BT-5T)	512MB	OK
			OK
GeIL	GE5123200B (GeIL GL3LC32G88TG-5A)	512MB	OK
			OK
GeIL	GD3200-1GBDC	512MB	OK
			OK
Hynix	HYMD264646B8J-D43 (Hynix HY5DV56822BT-D43)	512MB	OK
			OK
Infineon	HYS64D64320UH-5-C (Infineon HYB25D256800CE-5C)	512MB	OK
			OK
KingMax	MPXC22D-38KT3R FHA (KingMax KDL388P4LA-50)	512MB	OK
			OK
Kingston	KVR400X64C25/512 (Winbond W942508BH-5)	512MB	OK
			OK

MDT	DDR PC400 2Bnak 256M Chip M512-400-16 (MDT MDT25D25680S-5)	512MB	OK
			OK
Micron	MT16VDDT6464AG-40BC4 (Micron MT46V32M8TG-5B C)	512MB	OK
			OK
Nanya	NT512D64S8HB1G-5T (Nanya NT5DS32M8BT-5T)	512MB	OK
			OK
NEXS	NXDL64M64VG-5 (Micron MT46V32M8TG-5BC)	512MB	OK
			OK
Panram	184DR512M438 SA BIC0 (SEC K4H560838E-TCCC)	512MB	OK
			OK
ProMOS	V826664K24SBTG-D3 (ProMOS V58C2256804SBT5)	512MB	OK
			OK
PSC	AL6D8A53TK1-5B (PSC A2S56D30ATP-5)	512MB	OK
			OK
PSC	AL6D8B53T-5B1K (PSC A2S56D30BTP -5)	512MB	OK
			OK
Pmi	MD44512VIT 3208GATA03-03D3 (Mosel V58C2256804SAT5B)	512MB	OK
			OK
SEC	M368L6423DTM-CC4 (SEC K4H560838D-TCC4)	512MB	OK
			OK
SEC	M368L6423ETM-CCC (SEC K4H560838E-TCCC)	512MB	OK
			OK
Swissbit	SDU03264B4B31MT-50 (Micron MT46V32M8TG-5B)	512MB	OK
			OK
Swissbit	SDU06464H1B22IN-50 (Infineon HYB25D256800BT-5B)	512MB	OK
			OK
Transcend	TS64MLD64V4F3 (SEC K4H560838D-TCCC)	512MB	OK
			OK
Transcend	TS64MLD64V4F3 (Mosel V58C2256804SAT5B)	512MB	OK
			OK
TwinMOS	M2G9J16A-TT (TwinMOS TMD7608F8E50D)	512MB	OK
			OK
Winbond	W9451GCDB-5 (WinBond W942508CH-5)	512MB	OK
			OK
Hynix	HYMD512646A8J-D43 (Hynix HY5DU12822AT-D43)	1G	OK
			OK

PC3500/3700/4000/4200 DDR RAM (DDR-433/466/500/533)

System Configuration				
Device Configuration		Manufacturer	Model No.	Spec.
	Processor	Intel	P4 2.6GHz	800MHz CPU Voltage 1.6V
	Memory	As Follows		
	VGA Card	MSI	MS-8894 Ver:120	G4Ti4200
	Lan Card	Onboard		
	Sound Card	Onboard		
	Hard Drive	IBM	Deskstar IC35L040AVVN07-0	40GB, ATA-100
	CD-ROM	MSI	MS-8235M	52X24X52X CD-R/CDRW
	Floppy Drive	Teac	FD-235HF	
	Power Supply	Delta	DPS-300KB-1A	
	Mouse	Logitech	PS2	
	Keyboard	BTC	5198 PS2	
	Monitor	ViewSonic	PS775	
SW Info	VGA BIOS	4.28.20.05.11		
	VGA Driver	4.5.2.3		

	Model	Speed Grade	Size	DDR Voltage	R.S.T
TwinMOS	M2GII08AKATTIF083S9DT	DDR433	256MB	2.65V	OK
OCZ	Enhanced Latency	DDR433	256MB	2.65V	OK
GelL	GD3500-512DC	DDR433	256MB	2.75V	OK
Kingston	KHX3500/256	DDR433	256MB	2.6V	OK
Kingston	KHX3500/512	DDR433	512MB	2.6V	OK
ADATA	MD0ADHF3G31JB1FC2	DDR450	256MB	2.75V	OK
TwinMOS	M2GGI08AFATTGF0811DDT	DDR466	256MB	2.75V	OK
OCZ	Premier Dual CH	DDR466	256MB	2.75V	OK
GelL	GL2563700P	DDR466	256MB	2.75V	OK
GelL	GD3700-512DC	DDR466	256MB	2.7V	OK
GelL	GL5123700DC	DDR466	256MB	2.7V	OK
GelL	GD3700-512DC	DDR466	256MB	2.75V	OK
Transcend	TS32MLD64V2F	DDR466	256MB	2.75V	OK
GelL	GL1GB3700DC	DDR466	512MB	2.75V	OK
CORSAIR	CMX512-3700 XMS3700	DDR466	512MB	2.75V	OK
CORSAIR	CMX512-3700 XMS3700 TWINX	DDR466	512MB	2.75V	OK
Transcend	TS64MLD64V2F	DDR466	512MB	2.75V	OK
Kingmax	MPYC22D-38KT4	DDR466	512MB	2.75V	OK
Kingston	KHX4000/256	DDR500	256MB	2.55V	OK
ADATA	MD0HY6F3G31WB1EZZ	DDR500	256MB	2.85V	OK
ADATA	MD0ADBF3G31YB1GZH	DDR500	256MB	2.85V	OK

TwinMOS	M2GHI08AKATTHF083S9DT	DDR500	256MB	2.85V	OK
GeIL	GL5124000DC	DDR500	256MB	2.85V	OK
GeIL	GD4000-512DC	DDR500	256MB	2.9V	OK
Transcend	TS32MLD64V5F	DDR500	256MB	2.85V	OK
OCZ	EL DDR Gold Dual CH	DDR500	256MB	2.8V	OK
OCZ	Gold Edition Dual CH	DDR500	256MB	2.8V	OK
Pmi	MD54256HYN	DDR500	256MB	2.8V	OK
Kingmax	MPTB62D-38HT4	DDR466	512MB	2.8V	OK
ADATA	MD0ADB3H41YB1GZH	DDR500	512MB	2.85V	OK
GeIL	GL1GB4000DC	DDR500	512MB	2.9V	OK
Kingston	KHX4000/512	DDR500	512MB	2.55V	OK
Transcend	TS64MLD64V5F	DDR500	512MB	2.85V	OK
CORSAIR	CMX512-4000 XMS4000 TWINX	DDR500	512MB	2.8V	OK
Pmi	MD54512HYN	DDR500	512MB	2.8V	OK
GeIL	GL5124200DC	DDR533	256MB	2.9V	OK
OCZ	Premier Series	DDR533	256MB	2.85V	OK
OCZ	Enhanced Latency Dual CH	DDR533	256MB	2.85V	OK