

Memory Modules

PC2100 DDR RAM with FSB400

System Configuration				
Device Configuration		Manufacturer	Model No.	Spec.
	Processor	Intel	P4 Northwood 2.2G	FSB400
	Memory	As Follows		
	VGA Card	Intel	865G	Onboard VGA4X
	Lan Card	Reatek	RTL8101L-8x2c25651-301f	Onboard LAN
	Sound Card	C-Media	CMI9739A-MFKTP.02-1UGG1HK-O301	Onboard Audio
	Hard Drive	Fujitsu	MPE3136AH	13.6G, ATA66
	CD-ROM	Teac	CD-540E-082	
	Floppy Drive	Teac	FD-235HF	
	Power Supply	FSP	FSP250-60GTA	
	Mouse	Logitech	M-S34	
	Keyboard	NAX	KB-6868	
	Monitor	ViewSonic	G773	
SW Info	VGA BIOS	2866		
	VGA Driver	3471		

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4		
Hyundai (TwinMOS)	128MB					40.3	Pass
HY5DU28822T-H						26.9	Pass
Micron	128MB					40.9	Pass
MT46V16M16TG-75B						34.0	Pass
Micron	128MB					32.1	Pass
MT46V16M8TG-75B						35.5	Pass
IBM (Apacer)	256MB					45.9	Pass
N612804GT3B-7N						39.8	Pass
SEC (Transcend)	256MB					45.2	Pass
K4H280838B-TCBO (ECC)						40.4	Pass
SEC	256MB					45.6	Pass
K4H280838D-TCB0						40.8	Pass
Micron	256MB					45.3	Pass
MT46V16M8TG-75B						40.2	Pass
Micron	256MB					45.3	Pass
MT46V32M8TG-75B						40.4	Pass
Winbond (Kingston) KVR266X64C25/256	256MB					45.5	Pass
W942508BH-75						40.4	Pass
KINGMAX	256MB					45.7	Pass

KDL684T4AA-70						39.9	Pass
PSC Mira	512MB					45.9	Pass
P2S56D30TP-75						39.6	Pass
PSC Mira	256MB					45.7	Pass
P2S56D30TP-75						40.6	Pass

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4		
Nanya NT5DS16M8AT-7K	128MB					39.8	Pass
WinBond W942516AH-7	128MB						
Mosel V58C2128804SAT75	128MB						
Nanya NT5DS16M8AT-7K	128MB					39.2	Pass
WinBond W942516AH-7	128MB						
Mosel V58C2128804SAT75	128MB						
Micron MT46V16M8TG-75A	128MB					40.9	Pass
Nanya NT5DS16M8AT-75B	128MB						
WinBond W942516AH-7	128MB						
Micron MT46V16M8TG-75A	128MB					39.9	Pass
Nanya NT5DS16M8AT-75B	128MB						
WinBond W942516AH-7	128MB						
Micron MT46V16M8TG-75A	256MB					45.3	Pass
Nanya NT5DS16M8AT-7K	256MB						
Toshiba TC59WM807BFT-70	256MB						
Micron MT46V16M8TG-75A	256MB					44.2	Pass
Nanya NT5DS16M8AT-7K	256MB						
Toshiba TC59WM807BFT-70	256MB						
Infineon HYB25D256800T-7	256MB					44.5	Pass
WinBond W942508AH-7	256MB						
Mosel V58C2128804SAT75	256MB						
Infineon HYB25D256800T-7	256MB					44.2	Pass
WinBond W942508AH-7	256MB						
Mosel V58C2128804SAT75	256MB						
Micron MT46V16M8TG-75A	256MB					43.9	Pass
Nanya NT5DS16M8AT-7K	256MB						
SEC K4H560838D-TCBO	256MB						
Micron MT46V16M8TG-75A	256MB					43.6	Pass
Nanya NT5DS16M8AT-7K	256MB						
SEC K4H560838D-TCBO	256MB						
PSC Mira P2S56D30TP-75	512MB					44.9	Pass
Infineon HYB25D256800AT-7A	512MB						
SEC K4H560838D-TCBO	512MB						
PSC Mira P2S56D30TP-75	512MB						

Infineon HYB25D256800AT-7A	512MB					45	Pass
SEC K4H560838D-TCBO	512MB						

SEC (KingMax) K4H280838B-TCBO	128MB					43.2	Pass
SEC K4H560838D-TCBO	256MB						
SEC K4H560838D-TCBO	512MB						
SEC (KingMax) K4H280838B-TCBO	128MB					44.7	Pass
SEC K4H560838D-TCBO	512MB						
SEC K4H560838D-TCBO	512MB						
SEC K4H560838D-TCBO	256MB					44.5	Pass
SEC K4H560838D-TCBO	256MB						
SEC K4H560838D-TCBO	512MB						
SEC (KingMax) K4H280838B-TCBO	128MB					44.0	Pass
SEC K4H560838D-TCBO	256MB						
SEC K4H560838D-TCBO	256MB						

PC2100 DDR RAM with FSB533

System Configuration				
Device Configuration		Manufacturer	Model No.	Spec.
	Processor	Intel	P4 Northwood 2.26G	FSB 533
	Memory	As Follows		
	VGA Card	Intel	865G	Onboard VGA4X
	Lan Card	Reatek	RTL8101L-8x2c25651-301f	Onboard LAN
	Sound Card	C-Media	CMI9739A-MFKTP.02-1UGG1HK-O301	Onboard Audio
	Hard Drive	WD	Protégé WD100EB	10G, ATA100
	CD-ROM	Teac	CD-540E-082	
	Floppy Drive	Teac	FD-235HF	
	Power Supply	Tiger	FA-250HF	
	Mouse	Logitech	M-S34	
	Keyboard	NAX	KB-6868	
	Monitor	ViewSonic	G773	
SW Info	VGA BIOS	2866		
	VGA Driver	3471		

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4		
Hyundai (TwinMOS)	128MB					44.9	Pass
HY5DU28822T-H						38.0	Pass

Micron	128MB					43.8	Pass
MT46V16M16TG-75B						38.1	Pass
Micron	128MB					44.4	Pass
MT46V16M8TG-75B						37.1	Pass
IBM (Apacer)	256MB					50.4	Pass
N612804GT3B-7N						43.8	Pass
SEC (Transcend)	256MB					50.4	Pass
K4H280838B-TCBO (ECC)						43.8	Pass
SEC	256MB					50.2	Pass
K4H280838D-TCB0						43.3	Pass
Micron	256MB					50.6	Pass
MT46V16M8TG-75B						43.6	Pass
Micron	256MB					50.1	Pass
MT46V32M8TG-75B						43.7	Pass
Winbond (Kingston) KVR266X64C25/256	256MB					50.4	Pass
W942508BH-75						43.1	Pass
KINGMAX	256MB					50.4	Pass
KDL684T4AA-70						43.9	Pass
PSC Mira	512MB					50.8	Pass
P2S56D30TP-75						47.2	Pass
PSC Mira	256MB					48.5	Pass
P2S56D30TP-75						43.3	Pass

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4		
Nanya NT5DS16M8AT-7K	128MB					43.9	Pass
WinBond W942516AH-7	128MB						
Mosel V58C2128804SAT75	128MB						
Nanya NT5DS16M8AT-7K	128MB					44.4	Pass
WinBond W942516AH-7	128MB						
Mosel V58C2128804SAT75	128MB						
Micron MT46V16M8TG-75A	128MB					44.0	Pass
Nanya NT5DS16M8AT-75B	128MB						
WinBond W942516AH-7	128MB						
Micron MT46V16M8TG-75A	128MB					43.7	Pass
Nanya NT5DS16M8AT-75B	128MB						
WinBond W942516AH-7	128MB						
Micron MT46V16M8TG-75A	256MB					50.5	Pass
Nanya NT5DS16M8AT-7K	256MB						
Toshiba TC59WM807BFT-70	256MB						
Micron MT46V16M8TG-75A	256MB					48.0	Pass
Nanya NT5DS16M8AT-7K	256MB						

Toshiba TC59WM807BFT-70	256MB						
Infineon HYB25D256800T-7	256MB					49.3	Pass
WinBond W942508AH-7	256MB						
Mosel V58C2128804SAT75	256MB						
Infineon HYB25D256800T-7	256MB					48.4	Pass
WinBond W942508AH-7	256MB						
Mosel V58C2128804SAT75	256MB						
Micron MT46V16M8TG-75A	256MB					49.4	Pass
Nanya NT5DS16M8AT-7K	256MB						
SEC K4H560838D-TCBO	256MB						
Micron MT46V16M8TG-75A	256MB					49.1	Pass
Nanya NT5DS16M8AT-7K	256MB						
SEC K4H560838D-TCBO	256MB						
PSC Mira P2S56D30TP-75	512MB					51.0	Pass
Infineon HYB25D256800AT-7A	512MB						
SEC K4H560838D-TCBO	512MB						
PSC Mira P2S56D30TP-75	512MB					50.5	Pass
Infineon HYB25D256800AT-7A	512MB						
SEC K4H560838D-TCBO	512MB						

SEC (KingMax) K4H280838B-TCBO	128MB					48.9	Pass
SEC K4H560838D-TCBO	256MB						
SEC K4H560838D-TCBO	512MB						
SEC (KingMax) K4H280838B-TCBO	128MB					49.2	Pass
SEC K4H560838D-TCBO	512MB						
SEC K4H560838D-TCBO	512MB						
SEC K4H560838D-TCBO	256MB					49.3	Pass
SEC K4H560838D-TCBO	256MB						
SEC K4H560838D-TCBO	512MB						
SEC (KingMax) K4H280838B-TCBO	128MB					48.9	Pass
SEC K4H560838D-TCBO	256MB						
SEC K4H560838D-TCBO	256MB						

PC2700 DDR RAM with FSB533

System Configuration				
Device Configuration		Manufacturer	Model No.	Spec.
	Processor	Intel	P4 Northwood 2.26G	FSB 533
	Memory	As Follows		
	VGA Card	Intel	865G	Onboard VGA4X
	Lan Card	Reatek	RTL8101L-8x2c25651-301f	Onboard LAN
	Sound Card	C-Media	CMI9739A-MFKTP.02-1UGG1HK-O301	Onboard Audio
	Hard Drive	WD	Protégé WD100EB	10G, ATA100
	CD-ROM	Teac	CD-540E-082	
	Floppy Drive	Teac	FD-235HF	
	Power Supply	Tiger	FA-250HF	
	Mouse	Logitech	M-S34	
	Keyboard	NAX	KB-6868	
	Monitor	ViewSonic	G773	
SW Info	VGA BIOS	2866		
	VGA Driver	3471		

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4		
Micron	128MB					45.9	Pass
MT46V16M8TG-6						37.8	Pass
SEC	128MB					45.6	Pass
K4H280838D-TCB3						37.2	Pass
NANYA	128MB					45.3	Pass
NT5DS16M8AT-6						37.8	Pass
Micron	256MB					52.2	Pass
MT46V16M8TG-6TB						45.2	Pass
Nanya	256MB					51.8	Pass
NT5DS16M8AT-6K						44.8	Pass
Winbond	256MB					43.7	Pass
W942508AH-6						44.2	Pass
Winbond (Kingston) KVR333X64C25/256	256MB					51.5	Pass
W942508BH-6 (9905005-013)						44.8	Pass
Winbond (Kingston) KVR333X64C25/256	256MB					50.8	Pass
W942508BH-6 (9905192-001)						36.3	Pass
SEC	256MB					47.0	Pass
K4H280838C-TCB3						45.4	Pass
SEC	256MB					51.3	Pass
K4H560838C-TCB3						44.9	Pass
SEC	256MB					51.9	Pass

K4H560838D-TCB3						45.1	Pass
SEC (Transcend)	256MB					51.5	Pass
K4H280838D-TCB3						44.5	Pass
SEC (Apacer)	256MB					51.4	Pass
K4H560838D-TCB3						45.5	Pass

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4	2001	
KINGMAX	256MB					50.8	Pass
KDL684T4AA-60						44.2	Pass
CORSAIR	256MB					51.7	Pass
(CMX256A-2700C2) XMS2700V1.1						44.9	Pass
MICRON	512MB					51.3	Pass
MT46V32M8TG-6 THESB						50.0	Pass
SEC	512MB					51.8	Pass
K4H560838C-TCB3						50.8	Pass
SEC (Transcend)	512MB					50.9	Pass
K4H560838C-TCB3						50.0	Pass
SEC	512MB					50.2	Pass
K4H560838D-TCB3						50.6	Pass
SEC (Apacer)	512MB					52.0	Pass
K4H560838D-TCB3						50.5	Pass
Winbond (Kingston) KVR333X64C25/512	512MB					51.3	Pass
W942508BH-6						50.6	Pass

PC2700 DDR RAM with FSB800

System Configuration				
Device Configuration		Manufacturer	Model No.	Spec.
	Processor	Intel	P4 Northwood 2.8G	FSB 800
	Memory	As Follows		
	VGA Card	Intel	865G	Onboard VGA4X
	Lan Card	Reatek	RTL8101L-8x2c25651-301f	Onboard LAN
	Sound Card	C-Media	CMI9739A-MFKTP.02-1UGG1HK-O301	Onboard Audio
	Hard Drive	Fujitsu	MPE3136AH	13.6G, ATA66
	CD-ROM	Teac	CD-540E-082	
	Floppy Drive	Teac	FD-235HF	
	Power Supply	FSP	FSP250-60GTA	
	Mouse	Logitech	M-S34	
	Keyboard	NAX	KB-6868	
	Monitor	ViewSonic	G773	
SW Info	VGA BIOS	2866		
	VGA Driver	3471		

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4	2001	
Micron	128MB					43.7	Pass
MT46V16M8TG-6						36.6	Pass
SEC	128MB					45.4	Pass
K4H280838D-TCB3						37.1	Pass
NANYA	128MB					44.6	Pass
NT5DS16M8AT-6						37.4	Pass
Micron	256MB					40.0	Pass
MT46V16M8TG-6TB						44.9	Pass
Nanya	256MB					50.8	Pass
NT5DS16M8AT-6K						43.8	Pass
Winbond	256MB					50.3	Pass
W942508AH-6						44.5	Pass
Winbond (Kingston) KVR333X64C25/256	256MB					49.9	Pass
W942508BH-6 (9905005-013)						43.3	Pass
Winbond (Kingston) KVR333X64C25/256	256MB					49.7	Pass
W942508BH-6 (9905192-001)						44.1	Pass
SEC	256MB					38.4	Pass
K4H280838C-TCB3						44.2	Pass
SEC	256MB					50.7	Pass
K4H560838C-TCB3						43.8	Pass
SEC	256MB					50.1	Pass
K4H560838D-TCB3						43.6	Pass
SEC (Transcend)	256MB					50.1	Pass
K4H280838D-TCB3						44.7	Pass
SEC (Apacer)	256MB					49.0	Pass
K4H560838D-TCB3						43.7	Pass

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4	2001	
KINGMAX	256MB					51.0	Pass
KDL684T4AA-60						44.0	Pass
CORSAIR	256MB					49.8	Pass
(CMX256A-2700C2) XMS2700V1.1						43.5	Pass
MICRON	512MB					50.6	Pass
MT46V32M8TG-6 THESB						49.0	Pass
SEC	512MB					50.9	Pass
K4H560838C-TCB3						49.1	Pass
SEC (Transcend)	512MB					49.8	Pass
K4H560838C-TCB3						49.3	Pass

SEC	512MB					50.2	Pass
K4H560838D-TCB3						49.9	Pass
SEC (Apacer)	512MB					50.8	Pass
K4H560838D-TCB3						48.8	Pass
Winbond (Kingston) KVR333X64C25/512	512MB					49.5	Pass
W942508BH-6						49.0	Pass

PC3200 DDR RAM with FSB800

System Configuration				
Device Configuration		Manufacturer	Model No.	Spec.
	Processor	Intel	P4 Northwood 2.8G	FSB 800
	Memory	As Follows		
	VGA Card	Intel	865G	Onboard VGA4X
	Lan Card	Reatek	RTL8101L-8x2c25651-301f	Onboard LAN
	Sound Card	C-Media	CMI9739A-MFKTP.02-1UGG1HK-O301	Onboard Audio
	Hard Drive	Fujitsu	MPE3136AH	13.6G, ATA66
	CD-ROM	Teac	CD-540E-082	
	Floppy Drive	Teac	FD-235HF	
	Power Supply	FSP	FSP250-60GTA	
	Mouse	Logitech	M-S34	
	Keyboard	NAX	KB-6868	
	Monitor	ViewSonic	G773	
SW Info	VGA BIOS	2866		
	VGA Driver	3471		

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4		
MICRON	256MB					Pass	Pass
MT46V16M8TG-5 ES B						Pass	Pass
MICRON	256MB					Pass	Pass
MT46V32M8TG-5B C						Pass	Pass
Winbond (Kingston) KVR400X64C25/256	256MB					Pass	Pass
W942508BH-5						Pass	Pass
SEC	256MB					Pass	Pass
K4H560838D-TCC4						Pass	Pass
CORSAIR	256MB					Pass	Pass
(CMX256A-3200C-2) XMS3200V1.1						Pass	Pass
SEC (Apacer)	256MB					Pass	Pass
K4H560838D-TCC4						Pass	Pass
KINGMAX	256MB					Pass	Pass
KDL684T4AA-50						Pass	Pass

Winbond (Apacer) W942508BH-5	512MB					Pass	Pass
Winbond (Kingston) KVR400X64C256/512 W942508BH-5	512MB					Pass	Pass
SEC K4H560838D-TCC4	512MB					Pass	Pass
CORSAIR (CMX256A-3500C2PT) XMS3502V1.1	256MB					Pass	Pass
GeiL AMIRD305 GL3LC32G88TG-5A	256MB					Pass	Pass
HYNIX HY5DU56822AT-D43	512MB					Pass	Pass
HYNIX HY5DU56822AT-D43	256MB					Pass	Pass
Infineon HYS64DI6301GU-5-B HYB25D256140BT-5B	128MB					Pass	Pass
Infineon HYS64DI32300GU-5-B HYB25D256800BT-5B	256MB					Pass	Pass

Model	Size	Memory Slot				Business Winstone	Tmem
		1	2	3	4		
PSC (AL5D8A53TK1-5B) A2S56D30ATP-5	256MB					Pass	Pass
Nanya (NT256D64S88B1G-5T) NT5DS32M8BT-5T	256MB					Pass	Pass
Mosel (A-Data MD0M05F3G31JB1EAZ) V58C2256804SAT5	256MB					Pass	Pass
Winbond (A-DATA MD0WB5F3G31JD1EZZ) W942508CH-5	256MB					Pass	Pass
CORSAIR (CMX512-3500C2PT) XMS3502 V1.1	512MB					Pass	Pass
Micron (MT16VDDT6464Ag-40BC4) MT46V32M8TG-5B C	512MB					Pass	Pass
Nanya (NT512D64S8HB1G-5T) NT5DS32M8BT-5T	512MB					Pass	Pass
Winbond (W9451GCDB-5) W942508CH-5	512MB					Pass	Pass
PSC (AL6D8A53TK1-5B) A2S56D30ATP-5	512MB					Pass	Pass
SEC (ATP AG64L64T8SQC4S) K4H560838D-TCC4	512MB					Pass	Pass