



For CUBI 3 series

Installing second 2.5 inch HDD

加裝 2.5 吋硬碟教程

Date: 2018/01/31



SOME ARE PC, WE ARE GAMING

TRUE  GAMING

Step 1. Remove the top cover. 拆除上蓋



Unplug the power cable. Unscrew the two screws, and push back the top cover.

先關閉電源，拔除電源線。
卸下圖示中的兩顆螺絲後，將上蓋往
機台後側推即可移除上蓋。

Notice: Any damages caused by the operating will effect the warranty, so please consult with MSI staff if you find anything unsure.

請注意：拆機可能會影響保固，如有任何操作不確定，請聯繫微星人員協處理。

Step2. Remove the 2.5 inch HDD cable and frame. 拆除2.5吋硬碟的接線、以及支架



As the picture indicates, remove the three screws firstly, and disconnect the Serial ATA cableS.

請參閱圖片，先卸下3顆硬碟支架螺絲，再拔除 Serial ATA 線。


Step3-1. Install the second 2.5 inch HDD

安裝第二顆 2.5吋硬碟




Locate the M3 screws (4 pcs) from accessories. Make sure the second HDD is installed in the same way as the first one

請參閱圖片，從配件找出 **M3** 螺絲（4顆）。
請確認第二顆硬碟的接口方向與第一顆硬碟的安裝方向一致。



Step3-2. Install the second 2.5 inch HDD

安裝第二顆 2.5吋硬碟



Locate the Series ATA cables form accessories, refer to the pictures to connect those cables.

找出如片中的這兩條Series ATA 線
請參閱圖片，連接Series ATA 線。

Step3-3. Install the second 2.5 inch HDD


安裝第二顆 2.5吋硬碟



Locate the Series ATA cables form accessories, refer to the pictures to connect those cables.

找出如片中的這兩條Series ATA 線
請參閱圖片，連接Series ATA 線。

Step4. Finished the installing. 完成安裝



Installing the onboard SATA port first would be easier. And then reverse from step 2 to step 1 to finished the operating.

先將SATA線段連接上主版端的SATA 接口，對於安裝會比較容易些。然後參考Step 2 和 Step1 反向操作，把硬碟支架安裝回去後完成安裝。



TRUE  GAMING
SOME ARE PC, WE ARE GAMING

Thank you for watching!!!