


## Be Your Window To The World

The streamlined and edgeless shapes are elegant and generous; the composition of every line and the mastery of every circle demonstrates a high degree of perseverance and persistence. It is no longer just a functional product solely focused on meeting users' demands. It is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.



Picture and logos

## SELLING POINTS

- Red Dot Design Award 2021 Winner - Match the décor of your home or office with the most elegant & stylish design.
- 1500R curvature brings the most immersive viewing experience for your work & amusement.
- TÜV certified display protects your eyesight and keeps your eyes healthy
- Anti-Flicker and Less Blue Light technologies prevent your eyes from strain & fatigue
- Ergonomically work with the most comfortable position while focusing on your courses and works
- Ergonomic software, Display Kit, provides the most convenient tool, the proper color & display mode to you while working with it everyday
- 75 Hz refresh rate provides a better viewing experience
- Keep the flexibility for your different devices with multiple input sources: Type-C & HDMI ports
- Standard VESA mountable design
- Always allow you to join an online conference call with built-in speakers



1. 1x Type C (DisplayPort Alternate)
2. 1x HDMI (1.4b)
3. 1x Headphone-out
4. 1x DC Jack

**SPECIFICATION**

Barcode Info	EAN	4719072862015
	UPC	824142262368
	UCC14	10824142262365
Model	Part No	9S6-3PA6HH-019
	MKT Name	Modern MD271CPW
	MKT Spec	Modern MD271CPW
	Entity MKT Name	Modern MD271CPW
	Color	ID1/White-White
Display	Quantum Dot	N/A
	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.888(H) X 336.312(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	54.2~84.3 KHz(H) / 48~75 Hz(V)
	Refresh Rate	75Hz
	Response Time (Tr + Tf)	19ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	75%/88%
	NTSC (CIE1931 area percentage/overlap)	70%/72%
	SRGB (CIE1976 area percentage/overlap)	95%/102%
	SRGB (CIE1931 area percentage/overlap)	93%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	82%/ 88%
	Adobe RGB (CIE1931 area percentage/overlap)	75% / 76%
	DCI-P3 (CIE1976 area percentage/overlap)	79% / 82%
	DCI-P3 (CIE1931 area percentage/overlap)	72% / 76%
	Rec.709 (CIE1976 area percentage/overlap)	95% / 102%
	Rec.709 (CIE1931 area percentage/overlap)	95% / 104%
	Rec.2020 (CIE1976 area percentage/overlap)	N/A
	Rec.2020 (CIE1931 area percentage/overlap)	N/A
I/O Ports	Display Colors	16.7M
	Color bit	8 bits
	Note_HDMI™	1920 x 1080 (Up to 75Hz)
	Note_DVI	N/A
	HDMI™	1
	HDMI™ version	1.4b
	HDMI™ HDCP version	1.4
I/O Ports (Rear)	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
	Card Reader	N/A
	Annual Energy Consumption (KWh)	22
	Power Supply Type	External Adaptor 19V 3.42A
Power	Power Input	100~240V, 50/60Hz
	Adapter's KC safety Number	N/A
	Power Cord Type	C5
	QC Output Power	N/A
	PD Output Power	N/A



BUSINESS PRODUCTIVITY MONITOR

## Modern MD271CPW

MODERN MD271CPW

In The Box	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 110 mm
	VESA Mounting	75x75mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	N/A
	Outer Carton Dimension (WxDxH) (inch)	N/A
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	611.5 x 250 x 533.7
	Product Dimension with Stand (WxDxH) (inch)	24.07 x 9.84 x 21.01
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	611.5 x 95.7 x 366.0
	Product Dimension without Stand (WxDxH) (inch)	24.07 x 3.77 x 14.41
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	N/A
	Stand Dimension (WxDxH) (inch)	N/A
Dimension & Weight	Inside Carton Dimensions (WxDxH) (mm)	N/A
	Inside Carton Dimensions (WxDxH) (inch)	N/A
	Weight (Net kg)	6.13
	Weight (Gross kg)	8.1
Weight	Weight Without Stand (kg)	N/A
Warranty	Warranty	12M