

## Be Your Window To The World

The MSI Modern Series All-in-One PC is no longer just a functional product solely focused on meeting users' demands, it is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.




## Selling Points

### Modern AM242P 11M

- Windows 10 Home - MSI recommends Windows 11 Pro for businessFREE Upgrade to Windows 11\*
- 23.8" IPS Grade Panel LED Backlight (1920 x 1080 FHD)
- Intel® Tiger Lake processors with DDR4 memory
- Built-in Webcam included
- MSI Anti-Flicker & Less Blue Light technologies protect users' eyes
- Adjustable stand provides the best position while working & learning from home
- Instant Display Technology makes AIO become to monitor mode without system booting up
- MSI Storage Rapid Upgrade Design helps you to rapidly upgrade or maintain your 2.5" storage
- USB 3.2 Gen 2 Type C with reversible design & USB 3.2 Gen 2 Type A provide the best data delivery experience & support Super Charger
- Silent PRO Cooling System: Server ...



Picture and logos



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Switchable 2.5" Storage
5. 5-Way Navigator
6. 1x DC-in
7. 1x Kensington Lock
8. 1x HDMI in
9. 1x HDMI out
10. 2x USB 2.0 Type A
11. 1x RJ45 LAN
12. 1x Removable Webcam Cover



BUSINESS & PRODUCTIVITY ALL-IN-ONE  
P C

Modern AM242P 11M

MODERN AM242P 11M-1220NZ

Specification

|                            |                           |
|----------------------------|---------------------------|
| Operating Systems          | N/A                       |
| CPU Number                 | Intel Core i5-1135G7      |
| CPU Clock                  | 2.4GHz                    |
| CPU Cores                  | 4                         |
| TDP                        | 28W                       |
| Cache                      | 8 MB Intel® Smart Cache   |
| Threads                    | 8                         |
| Chipsets                   | N/A                       |
| Screen Size                | 23.8" (60cm)              |
| Active Display Area (mm)   | 527.04mm(H) x 296.46mm(V) |
| Curvature                  | Flat                      |
| Panel Type                 | IPS                       |
| Resolution                 | 1920x1080 (FHD)           |
| Pixel pitch                | 0.2745(H)x0.2745(V)       |
| Brightness (nits)          | 250                       |
| Contrast Ratio             | 1000:1                    |
| Signal Frequency           | N/A                       |
| Response Time (GTG)        | 14 ms                     |
| View Angles                | 178°(H)/178°(V)           |
| Surface Treatment          | Anti-Glare                |
| Touch Screen               | Non-touch                 |
| Display Colors             | 16.7M                     |
| Mic-in                     | NA                        |
| Headphone-out              | NA                        |
| Lock type                  | Kensington                |
| Memory Size                | 8GB(8GB*1)                |
| Memory Type                | DDR4 SDRAM                |
| Memory Speed               | 1600(3200)MHz             |
| Module Type                | SO-DIMM                   |
| Memory Slot(Total)         | 2                         |
| Memory Slot(Free)          | 1                         |
| Max Capacity               | Max 64GB                  |
| SSD Interface              | PCIe GEN3x4 w/o DRAM NVMe |
| SSD Form Factor            | M.2-2280 M-KEY            |
| SSD Config                 | 512GB*1                   |
| SSD Size                   | 512GB                     |
| HDD1 Interface             | N/A                       |
| HDD1 Form Factor           | N/A                       |
| HDD1 Size                  | N/A                       |
| HDD1 RPM                   | N/A                       |
| ODD(Type)                  | N/A                       |
| ODD Height                 | N/A                       |
| ODD Type                   | N/A                       |
| M.2 slots(Total)           | 1                         |
| M.2 slots(Free)            | 0                         |
| 2.5" Drive Bays(Total)     | 1                         |
| 2.5" Drive Bays (Free)     | 1                         |
| LAN                        | Realtek RTL8111H          |
| WLAN                       | INTEL/AX201.NG.WG.NVW     |
| WLAN Version               | 802.11ax 2x2+BT           |
| BT Version                 | 5.2                       |
| Audio Chipset              | Realtek ALC233            |
| Audio Type                 | 2.1 Channel HD Audio      |
| USB 2.0 Type A             | NA                        |
| USB 3.2 Gen 1 Type A       | NA                        |
| USB 3.2 Gen 1 Type C       | NA                        |
| USB 3.2 Gen 2 Type A       | 2                         |
| USB 3.2 Gen 2 Type C       | 2                         |
| USB 3.2 Gen 2x2 Type C     | NA                        |
| USB 3.2 Gen 2x2 Type A     | NA                        |
| Mic-inHeadphone-out combo  | 1                         |
| USB 3.2 Gen 2x2 Type C (R) | NA                        |
| USB 3.2 Gen 2x2 Type A (R) | NA                        |



BUSINESS & PRODUCTIVITY ALL-IN-ONE  
P C

## Modern AM242P 11M

MODERN AM242P 11M-1220NZ

|                                                    |                                                                 |
|----------------------------------------------------|-----------------------------------------------------------------|
| USB 3.2 Gen 2 Type C (R)                           | NA                                                              |
| USB 3.2 Gen 2 Type A (R)                           | NA                                                              |
| USB 3.2 Gen 1 Type C (R)                           | NA                                                              |
| USB 3.2 Gen 1 Type A (R)                           | NA                                                              |
| USB 2.0 Type C (R)                                 | NA                                                              |
| USB 2.0 Type A (R)                                 | 2                                                               |
| RJ45                                               | 1                                                               |
| Card Reader                                        | NA                                                              |
| VGA out                                            | NA                                                              |
| HDMI out                                           | 1x (v2.0)                                                       |
| DP out                                             | NA                                                              |
| mini DP out                                        | NA                                                              |
| PS2                                                | NA                                                              |
| COM Port                                           | NA                                                              |
| DVI-D out                                          | NA                                                              |
| HDMI in                                            | 1                                                               |
| Mic-inHeadphone-out combo (R)                      | NA                                                              |
| Printer Port (Parallel)                            | NA                                                              |
| Headphone-out (HiFi SPDIF)                         | NA                                                              |
| WebCam                                             | internal webcam                                                 |
| Operating, Storage Temperature                     | 0° C ~ 35° C ; -20° C ~ 60° C                                   |
| Operating, Storage Humidity                        | 0% ~ 85%;0% ~ 90%                                               |
| Regulatory Compliance                              | FCC(Class B)<br>CB/CE<br>UL(CUL)<br>BSMI<br>VCCI<br>RCM(C-Tick) |
| AC Adapter Output                                  | 120W                                                            |
| Battery                                            | N/A                                                             |
| Battery Whrs                                       | N/A                                                             |
| Adjustment (Tilt)                                  | -4~20                                                           |
| Adjustment (Swivel)                                | N/A                                                             |
| Adjustment (Height)                                | 0~130mm                                                         |
| Adjustment (Pivot)                                 | N/A                                                             |
| Product Dimension with Stand (WxDxH) (mm)          | 541.4 x 194.68 x 534.92                                         |
| Product Dimension with Stand (WxDxH) (inch)        | 21.31 x 7.66 x 21.06                                            |
| Weight (Net kg)                                    | 6.16                                                            |
| Weight (Gross kg)                                  | 8.45                                                            |
| Product Dimension with Holder (WxDxH) (mm)         | N/A                                                             |
| Product Dimension with Holder (WxDxH) (inch)       | N/A                                                             |
| Inside Carton Dimension with Holder (WxDxH) (mm)   | N/A                                                             |
| Inside Carton Dimension with Holder (WxDxH) (inch) | N/A                                                             |
| Inside Carton Dimension with Stand (WxDxH) (mm)    | N/A                                                             |
| Inside Carton Dimension with Stand (WxDxH) (inch)  | N/A                                                             |
| Outer Carton Dimension with Holder (WxDxH) (mm)    | N/A                                                             |
| Keyboard Interface                                 | WIRELESS                                                        |
| Mouse Interface                                    | WIRELESS                                                        |
| Power Cord                                         | 1                                                               |
| AC Adaptor                                         | 1                                                               |
| Warranty Card                                      | 1                                                               |
| Quick Guide                                        | 2                                                               |
| User Manual                                        | N/A                                                             |
| VESA Mount kit                                     | N/A                                                             |
| Keyboard                                           | RF1430                                                          |
| Mouse                                              | MA04                                                            |
| Warranty                                           | 36M                                                             |
| Color                                              | ID1/Black-Black-Black                                           |
| EAN                                                | 4719072911140                                                   |