# Be Your Window To The World

The MSI Modern Series All-in-One PC is no longer just a functional product solely focused on meeting users' demands, it is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.

Picture and logos

## SELLING POINTS

- Windows 11 Home - MSI recommends Windows 11 Pro for business
- 27" IPS Grade Panel LED Backlight (1920 x 1080 FHD)
- Intel® Alder Lake processors with DDR4 memory
- Built-in Full HD Webcam included
- MSI Anti-Flicker & Less Blue Light technologies protect users' eyes.
- Instant Display Technology makes AIO become to monitor mode without system booting up
- MSI Storage Rapid Upgrade Design helps you to rapidly upgrade or maintain your 2.5" storage
- USB 3.2 Gen 2 Type C with reversible design & USB 3.2 Gen 2 Type A ports provide the best data delivery experience & support Super Charger
- Silent PRO Cooling System: Server Grade Thermal Module ensures a silent and stable operation with a longer life cycle
  *Upgrade timing may vary by device. Features and app availability may vary by region. Certain features require specific hardware (see https://www.microsoft.com/en-us/windows/windows-11-specifications).

1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Switchable 2.5" Storage
5. 5-Way Navigator
6. 1x DC-in
7. 1x Kensington Lock
8. 1x HDMI™ in
9. 1x HDMI™ out
10. 2x USB 2.0 Type A
11. 1x RJ45 LAN
12. 1x USB 2.0 Type A

# Modern AM272P 12M

## SPECIFICATION

| | | |
|---|---|---|
| Operating Systems | Operating Systems | Windows 11 Home |
| Barcode Info | EAN | 4719072965587 |
| | UPC | 824142289846 |
| | UCC14 | 10824142289843 |
| Model | Part No | 9S6-AF8211-058 |
| | MKT Name | Modern AM272P 12M |
| | MKT Spec | Modern AM272P 12M-058AU |
| | Color | ID1/Black-Black-Black |
| Display | Screen Size | 27" (69 cm) |
| | Active Display Area (mm) | 597.888(H) × 336.312(V) |
| | Curvature | Flat |
| | Panel Type | IPS |
| | Resolution | 1920x1080 (FHD) |
| | Pixel pitch | 0.3114(H)X0.3114(V) |
| | Brightness (nits) | 300 |
| | Contrast Ratio | 1000:1 |
| | Signal Frequency | 56~84.5 KHz(H) / 50~75 Hz(V) |
| | Response Time (GTG) | 14ms |
| | View Angles | 178°(H)/178°(V) |
| | Surface Treatment | Anti-Glare |
| | Touch Screen | Non-touch |
| | Display Colors | 16.7M |
| I/O Ports | Lock type | Kensington |
| Processor | CPU Number | Intel Core i7-1260P |
| | CPU Clock | 2.1GHz |
| | CPU Cores | 12 |
| | TDP | 28W |
| | Cache | 18 MB Intel® Smart Cache |
| | Threads | 16 |
| Chipset | Chipsets | N/A |
| Memory | Memory Size | 16GB(16GB*1) |
| | Memory Type | DDR4 SDRAM |
| | Memory Speed | 1600(3200)MHz |
| | Module Type | SO-DIMM |
| | Memory Slot (Total/Free) | 2/1 |
| | Max Capacity | Max 64GB |
| Storage | SSD Size | 1TB |
| | HDD1 Size | N/A |
| | SSD Config | 1TB*1 |
| | SSD Interface | PCIe GEN3x4 w/o DRAM NVMe |
| | SSD Form Factor | M.2-2280 M-KEY |
| | M.2 slots (Total/Free) | 1/0 |
| | HDD1 RPM | N/A |
| | HDD1 Form Factor | N/A |
| | HDD1 Interface | N/A |
| | 3.5" Drive Bays (Total/Free) | 0/ |
| | 2.5" Drive Bays (Total/Free) | 1/1 |
| | ODD(Type) | N/A |
| | ODD Height | N/A |
| | ODD Type | N/A |
| Communications | LAN | Realtek RTL8111H |
| | WLAN | INTEL/AX201.NGWG.NVW |
| | WLAN Version | 802.11ax 2x2+BT |
| | BT Version | 5.2 |
| Audio | Audio Chipset | Realtek ALC256 |
| | Audio Type | 2.1 Channel HD Audio |
| I/O Ports (Front) | USB 3.2 Gen 2 Type A | 2 |
| | USB 3.2 Gen 2 Type C | 2 |
| | Mic-in/Headphone-out combo | 1 |

| | | |
|---|---|---|
| I/O Ports (Rear) | USB 2.0 Type A (R) | 2 |
| | RJ45 | 1 |
| | VGA out | 1 |
| | HDMI™ out | 1x (v2.0) |
| Power | AC Adapter Output | 120W |
| | Battery | N/A |
| | Battery Whrs | N/A |
| In The Box | Keyboard Interface | WIRELESS |
| | Mouse Interface | WIRELESS |
| | Power Cord | 1 |
| | AC Adaptor | 1 |
| | Warranty Card | N/A |
| | Quick Guide | 2 |
| | User Manual | N/A |
| | VESA Mount kit | N/A |
| | Keyboard | RF1430 |
| | Mouse | MA04 |
| Input Device | WebCam | internal webcam |
| Regulatory Compliance | Operating, Storage Temperature | 0° C ~ 35° C ; -20° C ~ 60° C |
| | Operating, Storage Humidity | 0% ~ 85%;0% ~ 90% |
| | Regulatory Compliance | FCC(Class B)<br>CB/CE<br>UL(CUL)<br>BSMI<br>VCCI<br>RCM(C-Tick) |
| Design | Adjustment (Tilt) | -4°~20° |
| | Adjustment (Height) | 0~130mm |
| Product Dimension with Stand (WxDxH) | Product Dimension with Stand (WxDxH) (mm) | 611.75 x 194.68 x 561.48 |
| | Product Dimension with Stand (WxDxH) (inch) | 24.08 x 7.66 x 22.11 |
| Dimension & Weight | Weight (Net kg) | TBD |
| | Weight (Gross kg) | TBD |
| | Product Dimension with Holder (WxDxH) (mm) | TBD x TBD x TBD |
| | Product Dimension with Holder (WxDxH) (inch) | TBD x TBD x TBD |
| | Inside Carton Dimension with Holder (WxDxH) (mm) | N/A |
| | Inside Carton Dimension with Holder (WxDxH) (inch) | N/A |
| | Inside Carton Dimension with Stand (WxDxH) (mm) | TBD x TBD x TBD |
| | Inside Carton Dimension with Stand (WxDxH) (inch) | TBD x TBD x TBD |
| | Outer Carton Dimension with Holder (WxDxH) (mm) | N/A |
| Warranty | Warranty | 12M |