

## PRO AP272P 14M

PRO AP272P 14M-492NZ


# **Be Your Window To The World**



Picture and logos

#### **SELLING POINTS**

- Windows 11 Home MSI recommends Windows 11 Pro for business
- 27" IPS Grade with 178° wide viewing angle LED Backlight (1920 x 1080 FHD)
- Up to Intel® Core™ i7 Processor 14700 Raptor Lake processors with DDR5 memory
- 100Hz Refresh Rate with MSI Anti-Flicker & Less Blue Light technologies protect users' eyes
- The adjustable stand and tool-less design provide a convenient working environment
- Triple display with HDMI™ and DP output ports
- Built-in FHD webcam features Windows Hello improve users' privacy and productivity
- Tobii Aware software protect users' privacy and security
- MSI Cloud Center enables users to create a private cloud and backup files from Android and iOS devices
- dTPM design secures the confidential data with encryption keys
- The DTS Audio Enhancer is designed to provide an immersive audio experience
- 24/7 Qualified Reliability Test



- **1.** 1 x DC Jack
- **2.** 1 x HDMI<sup>™</sup> out (2.1)
- 3. 1 x DisplayPort out (1.4)
- 4. 1 x RJ-45 LAN
- 5. 1 x USB 3.2 Gen 2 Type C / 1 x USB 3.2 Gen 2 Type A
- 6. 2 x USB 2.0 Type A
- **7.** 1 x Mic-in
- 8. 1 x Line-out
- **9.** 1 x Kensington Lock
- **10.** 2 x USB 3.2 Gen 1 Type A




## PRO AP272P 14M

PRO AP272P 14M-492NZ

### **SPECIFICATION**

Operating Systems	Operating Systems	Windows 11 Home
Model	Part No	9S6-AF8322-861
	MKT Name	PRO AP272P 14M
	MKT Spec	PRO AP272P 14M-492NZ
	Color	ID1/White-White
Chipset	Chipsets	H610
Отпрост	Memory Size	16GB(8GB*2)
Memory	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
Memory	Memory Slot(Total)	2
Processor	Memory Slot(Free)	0
	Max Capacity	Max 64GB
	CPU Number	Intel Core i7 Processor 14700
	CPU Clock	2.1GHz
	CPU Cores	20
	TDP	65W
	Max Turbo Frequency	up to 5.40 GHz
	Cache	33 MB Intel® Smart Cache
	Threads	28
	View Angles	178°(H)/178°(V)
	Touch Screen	Non-touch Non-touch
	Screen Size	27" (69 cm)
	Panel Type	IPS
Display	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
Discrete Graphics	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
	Audio Chipset	Realtek ALC897
Audio	Audio Type	2.1 Channel HD Audio
	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	1TB*1
	SSD Size	1TB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
Storage	ODD(Type)	N/A
Storage	ODD Height	N/A
	ODD Type	N/A
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
	LAN	Intel I219-V
Communications	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	Webcam	internal webcam
Input Device	Webcam Resolution Webcam supports Windows Hello or not	2.0MP (1080P) Yes





# PRO AP272P 14M

PRO AP272P 14M-492NZ

USB 2.0 Type A	2
USB 3.2 Gen 1 (5G) Type A	2
USB 2.0 Type A (R)	2
RJ45	1
HDMI out	1x (v2.1)
DP out	1x (v1.4)
Line-out (R)	1
Lock type	Kensington
	1
	1
	2
	1
	36months
<u> </u>	N/A
	N/A
	613.49 x 268.00 x 457.66
	24.15 x 10.55 x 18.02
Outer Carton Dimension with Holder (WxDxH)	N/A
Outer Carton Dimension with Holder (WxDxH)	N/A
Outer Carton Dimension with Stand (WxDxH) (mm)	711 x 232 x 514
Outer Carton Dimension with Stand (WxDxH) (inch)	27.99 x 9.13 x 20.24
Weight (Net kg)	4.63
Weight (Net lbs)	10.21
Weight (Gross kg)	8
Weight (Gross lbs)	17.64
Adjustment (Tilt)	-4°~20°(+/-2°)
Adjustment (Height)	0~130mm
	120W
VESA size	75 x 75 mm
Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
AC Adaptor	1
Power Cord	1
	N/A
Quick Guide	2
`	N/A
	N/A
	WIRELESS
	WIRELESS
	4711377304863
UPC	824142404683
10.0	0 = 1 = 7 = 7 0 0 0 0
	USB 3.2 Gen 1 (5G) Type A  USB 2.0 Type A (R)  RJ45  HDMI out  DP out  Line-out (R)  Lock type  USB 3.2 Gen 2 (10G) Type C (R)  USB 3.2 Gen 2 (10G) Type A (R)  WISB 3.2 Gen 1 (5G) Type A (R)  Warranty  Product Dimension with Holder (WxDxH) (mm)  Product Dimension with Stand (WxDxH) (inch)  Product Dimension with Stand (WxDxH) (inch)  Product Dimension with Stand (WxDxH) (inch)  Outer Carton Dimension with Holder (WxDxH) (inch)  Outer Carton Dimension with Stand (WxDxH) (inch)  Outer Carton Dimension with Stand (WxDxH) (inch)  Outer Carton Dimension with Stand (WxDxH) (inch)  Weight (Net los)  Weight (Net kg)  Weight (Forss kg)  Weight (Gross lbs)  Adjustment (Tilt)  Adjustment (Height)  AC Adaptor  Power Cord  Warranty Card  Quick Guide  User Manual  VESA Mount kit  Keyboard Interface  Mouse Interface  EAN