Cubi N JSL

CUBI N JSL-007BAU

Be Your Window To The World

Selling Points

- Windows 10 Home - MSI recommends Windows 11 Pro for business.
- FREE Upgrade to Windows 11*
- Featuring Intel Japer Lake Processors
- Support 4K UHD Display
- Support dual displays that allows you to see more and do more
- Experience 75% lower latency with WiFi 6 technology
- Get all the performance benefits from USB 3.2 Gen 2 and enjoy the best data transmission experience
- FW TPM design secures your confidential data with encryption keys
- Supports standard VESA-mount

Picture and logos

1. 2x USB 3.2 Gen2 Type A
2. 1x Mic-in/ Headphone-out
3. 1x DC Jack
4. 1x VGA out
5. 1x LAN
6. 2x USB 3.2 Gen1 Type A
7. 1x HDMI (1.4)

Specification

Operating Systems	N/A
CPU Number	Intel Pentium N6000
CPU Clock	1.1GHz
CPU Cores	4
TDP	6W
Cache	4 MB L3 Cache
Threads	4
CPU Cooler	Air cooling
Chipsets	N/A
VGA IO Port	N/A
VGA MKT Name	N/A
Memory Type	N/A
Memory Speed	N/A
Module Type	SO-DIMM
Memory Slot(Total)	2
Memory Slot(Free)	2
Max Capacity	Max 16GB
SSD Interface	N/A
SSD Form Factor	N/A
SSD Config	N/A
SSD Size	N/A
HDD1 Interface	N/A
HDD1 Form Factor	N/A
HDD1 Size	N/A
HDD1 RPM	N/A
ODD(Type)	N/A
ODD Height	N/A
ODD Type	N/A
M.2 slots(Total)	1
M.2 slots(Free)	1
2.5" Drive Bays(Total)	1
2.5" Drive Bays (Free)	1
LAN	Realtek RTL8111H
WLAN	INTEL/AX201.NGWG.NVW
WLAN Version	802.11ax 2x2+BT
BT Version	5.2
Audio Chipset	Realtek ALC233
Audio Type	5.1 Channel HD Audio
Thunderbolt	NA
USB 2.0 Type A	NA
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2 Type A	2
USB 3.2 Gen 2 Type C	NA
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
Audio Mic-in	NA
Audio Headphone-out	NA
Audio Headphone-out (HiFiSPDIF)	NA
Mic-inHeadphone-out combo	1
USB 3.2 Gen 2x2 Type C (R)	NA
USB 3.2 Gen 2x2 Type A (R)	NA
USB 3.2 Gen 2 Type C (R)	NA
USB 3.2 Gen 2 Type A (R)	NA
USB 3.2 Gen 1 Type C (R)	NA
USB 3.2 Gen 1 Type A (R)	2
USB 2.0 Type C (R)	NA
USB 2.0 Type A (R)	NA
Thunderbolt (R)	NA
RJ45	1
WiFi Antenna	NA
Card Reader	NA

Cubi N JSL

CUBI N JSL-007BAU

VGA out	1
VR-Link	NA
HDMI out	1x (v2.0)
DP out	NA
mini DP in	NA
mini DP out	NA
PS2	NA
COM Port	NA
DVI-D out	NA
Audio jack	1
SPDIF	NA
Flash BIOS Button	NA
Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)
Power	45W
Power Certification	N/A
Formfactor	N/A
Type	ADAPTOR
Product Dimension (WxDxH) (mm)	112 x 116 x 44.47(thin bottom cover), 55.5(thick bottom cover)
Product Dimension (WxDxH) (inch)	4.41 x 4.57 x 44.47(thin bottom cover), 55.5(thick bottom cover)
Inside Carton Dimension (WxDxH) (mm)	205 x 220 x 94
Inside Carton Dimension (WxDxH) (inch)	8.07 x 8.66 x 3.7
Outer Carton Dimension Standard (WxDxH) (mm)	221 x 506 x 469
Outer Carton Dimension Standard (WxDxH) (inch)	8.7 x 19.92 x 18.46
Weight (Net kg)	0.47
Weight (Gross kg)	1.25
Liter	0.45
VESA size	100 x 100 mm
Keyboard Interface	N/A
Mouse Interface	N/A
Power Cord	1
AC Adaptor	1
Warranty Card	1
Quick Guide	3
User Manual	N/A
VESA Mount kit	1
Keyboard	N/A
Mouse	N/A
Warranty	36months
Color	ID1/Black-Black-Black
EAN	4719072847449