

Be Your Window To The World

The streamlined and edgeless shapes are elegant and generous; the composition of every line and the mastery of every circle demonstrates a high degree of perseverance and persistence. It is no longer just a functional product solely focused on meeting users' demands. It is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.



Selling Points

- Elegant and personalized design fits any corners of your house
- TÜV certified display protects your eyesight and keeps your eyes healthy
- Anti-Flicker and Less Blue Light technologies prevent your eyes from strain & fatigue
- Ergonomically work with the most comfortable position while focusing on your courses and works
- 75 Hz refresh rate provides a better viewing experience
- Keep the flexibility for your different devices with multiple input sources, Type-C & HDMI ports
- Standard VESA mountable design
- Always allow you to join an online conference call with built-in speakers



Picture and logos: Pictures Business Productivity Monitor



1. 1x Type C (DisplayPort Alternate)
2. 1x HDMI (1.4)
3. 1x Headphone-out
4. 1x DC Jack

Specification

Color	ID1/Black-Black
Screen Size	27" (69 cm)
Active Display Area (mm)	597.888(H) X 336.312(V)
Curvature	Flat
Panel Type	IPS
Resolution	1920x1080 (FHD)
Pixel pitch	0.3114(H)X0.3114(V)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	NA
Activated Range	NA
HDR (High dynamic range)	NA
SDR Brightness (nits)	250
Contrast Ratio	1000:1
DCR (Dynamic Contrast Ratio)	100000:1
Signal Frequency	30~112 KHz(H) / 48~75 Hz(V)
Refresh Rate	75Hz
Response Time (MPRT)	NA
Response Time (GTG)	5ms
Response Time (Tr + Tf)	14ms
View Angles	178°(H)/178°(V)
NTSC (CIE1976 area percentageoverlap)	91.25%/78.60%
NTSC (CIE1931 area percentageoverlap)	73.78%/70.40%
sRGB (CIE1976 area percentageoverlap)	104.61%/96.90%
sRGB (CIE1931 area percentageoverlap)	104.17%/95.60%
Adobe RGB (CIE1976 area percentageoverlap)	89.57%/84.40%
Adobe RGB (CIE1931 area percentageoverlap)	77.22%/73.90%
DCI-P3 (CIE1976 area percentageoverlap)	83.41%/82.10%
DCI-P3 (CIE1931 area percentageoverlap)	76.79%/76.50%
Rec.709 (CIE1976 area percentageoverlap)	NA
Rec.709 (CIE1931 area percentageoverlap)	NA
Surface Treatment	Anti-glare
Display Colors	16.7M
Color bit	8 bits
Note_DP	NA
Note_HDMI	1920 x 1080 (Up to 75Hz)
Note_DVI	N/A
HDMI	1
HDMI version	1.4
HDMI HDCP version	1.4
DisplayPort	NA
DisplayPort version	NA
DisplayPort HDCP version	NA
Thunderbolt version	NA
Thunderbolt HDCP version	NA
USB Type C (DisplayPort Alternate)	1
DVI	NA
D-Sub	NA
Mic-in	NA
Mic-in upstream	NA
Headphone-out	1
Audio Combo	NA
USB 2.0 Type B	NA
USB 3.2 Gen 1 Type B	NA
Lock type	Kensington Lock
Power Type	External Adaptor 19V 3.42A
Power Input	100~240V, 50/60Hz
Adapter's KC safety Number	NA
Power Cord Type	C13
QC Output	NA
QC Output Power	NA
PD Output	NA
PD Output Power	NA
Adjustment (Tilt)	-5° ~ 20°



BUSINESS PRODUCTIVITY MONITOR

Modern MD271P

MODERN MD271P

Adjustment (Swivel)	-30° ~ 30°
Adjustment (Height)	0 ~ 110 mm
Adjustment (Pivot)	-90° ~ 90°
VESA Mounting	75x75mm
Frameless Design	Yes
Outer Carton Dimension (WxDxH) (mm)	893 x 167 x 464
Outer Carton Dimension (WxDxH) (inch)	35.16 x 6.57 x 18.27
Product Dimension with Stand (WxDxH) (mm)	613 x 200 x 401
Product Dimension with Stand (WxDxH) (inch)	24.13 x 7.87 x 15.79
Product Dimension without Stand (WxDxH) (mm)	613 x 72 x 362
Product Dimension without Stand (WxDxH) (inch)	24.13 x 2.83 x 14.25
Thunderbolt	NA
USB 2.0 Type A	NA
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
Card Reader	NA
Stand Dimension (WxDxH) (mm)	230 x 200 x 415
Stand Dimension (WxDxH) (inch)	9.06 x 7.87 x 16.34
Feature	Frameless design
Inside Carton Dimension (WxDxH) (mm)	883 x 157 x 442
Inside Carton Dimension (WxDxH) (inch)	34.76 x 6.18 x 17.4
Weight (Net kg)	5.6
Weight (Gross kg)	8.44
DisplayPort Cable	0
HDMI Cable	1
DVI Cable	0
USB Type A to Type B Cable	0
USB Type C to Type A Cable	0
USB Type C to Type C Cable	0
Thunderbolt Cable	0
VGA Cable	0
3.5mm audio Cable	0
3.5mm combo audio Cable	0
Warranty	36M
Power Cord	1
AC Adaptor	1
Quick Guide	1
Warranty Card	1
EAN	4719072785123