

## Be Your Window To The World



Picture and logos

### SELLING POINTS

- 24.5-inch Broadened Display – Enjoy the upgraded canvas in the limited space.
- The best screen size for the office and work desk aligns with the visual's comfort zone.
- TÜV certified display ensures the protection and health of eyesight.
- MSI EyesErgo technology with Anti-Flicker technology helps prevent eye strain and fatigue.
- 100 Hz refresh rate provides a better viewing experience with flicker-free image.
- MSI Eye-Q Check helps have self-check eyes & reminds to take a rest while using the monitor for a long time.
- Maintain versatility across various devices by utilizing multiple input sources, such as HDMI™ and D-Sub(VGA) ports.
- Enjoy the cleanest environment with a convenient and removable cable management design.
- Standard VESA mountable design.
- Two built-in speakers.



1. 1x DC-in
2. 1x HDMI (1.4b)
3. 1x D-Sub (VGA)
4. 1x Line-in
5. 1x Headphone-out
6. 1x Kensington Lock
7. 1x 5-way navigator



## SPECIFICATION

Barcode Info	EAN	4711377127196
	UPC	824142334072
	UCC14	10824142334079
Model	Part No	9S6-3PC2CM-004
	MKT Name	PRO MP251
	MKT Spec	PRO MP251
Display	Color	ID1/Black-Black
	Screen Size	24.5" (62.2cm)
	Active Display Area (mm)	543.7(H)x302.6 (V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	300
	Contrast Ratio	1300:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	52.416~112.5 KHz(H) / 48~100 Hz(V)
	Refresh Rate	100HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	88.1%/78.2%
	NTSC (CIE1931 area percentage/overlap)	73.7%/71.1%
	sRGB (CIE1976 area percentage/overlap)	101%/95.9%
	sRGB (CIE1931 area percentage/overlap)	104.1%/96.1%
	Adobe RGB (CIE1976 area percentage/overlap)	86.6%/83.5%
	Adobe RGB (CIE1931 area percentage/overlap)	77.2%/74%
	DCI-P3 (CIE1976 area percentage/overlap)	80.4%/79.9%
	DCI-P3 (CIE1931 area percentage/overlap)	77.2%/74%
	Rec.709 (CIE1976 area percentage/overlap)	101%/95.9%
	Rec.709 (CIE1931 area percentage/overlap)	104.1%/96.1%
	Rec.2020 (CIE1976 area percentage/overlap)	58.6%/58.6%
	Rec.2020 (CIE1931 area percentage/overlap)	55.1%/55.1%
	Display Colors	16.7M
	Color bit	8 bits (6 bits + FRC)
	Note_HDMI™	1920 X 1080 (Up to 100Hz)
	Note_DVI	N/A
I/O Ports	Line-in	1
	HDMI™	1
	HDMI™ version	1.4b
	HDMI™ HDCP version	1.4
	Thunderbolt version	N/A
	Thunderbolt HDCP version	N/A
	USB Type C (DisplayPort Alternate)	N/A
	D-Sub	1
	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
	Card Reader	N/A
Power	Annual Energy Consumption (KWh)	N/A
	Power Type	External Adaptor 12V 2.5A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	E
	Adapter's KC safety Number	N/A
	Power Cord Type	C13
	QC Output Power	N/A
	PD Output Power	N/A



PRO MP251

PRO MP251

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	557.5 x 198.3 x 421.8
	Product Dimension with Stand (WxDxH) (inch)	21.95 x 7.81 x 16.61
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	557.5 x 53.6 x 327
	Product Dimension without Stand (WxDxH) (inch)	21.95 x 2.11 x 12.87
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	248.3 x 198.3 x 145.9
	Stand Dimension (WxDxH) (inch)	9.78 x 7.81 x 5.74
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	N/A
	Weight (Gross kg)	N/A
Weight	Weight Without Stand (kg)	N/A
Warranty	Warranty	36M