

Be Your Window To The World

MSI All-in-One počítač řady Modern již není jen funkčním produktem zaměřeným výhradně na splnění požadavků uživatelů, ale je reprezentací řemeslného ducha dokonalosti a nespoutané svobody módního přístupu. Stejně tak řada Modern Series disponuje funkcemi, které plně vyhovují potřebám uživatelů a vzhledem, který lze integrovat do různých prostředí. Bez ohledu na to, kde se nacházíte, si musíte zachovat svůj styl a vytrvalost v životě.




Picture and logos

SELLING POINTS

- Windows 11 Home - MSI doporučuje Windows 11 Pro pro firmy
- 27" IPS panel s LED podsvícením (rozlišení 1920x1080 FHD)
- Intel® Alder Lake procesory s pamětí DDR4
- Vestavěná webová kamera s rozlišením Full HD
- MSI Anti-Flicker & Low Blue Light redukce modrého světla pro ochranu vašich očí.
- Technologie Instant Display umožňuje použít AIO jako monitor bez nutnosti bootování
- MSI Storage Rapid Upgrade Design - jednoduše přidejte kapacitu nebo vyměňte váš 2,5" disk
- USB 3.2 Gen 2 Type C s oboustranným konektorem & USB 3.2 Gen 2 Type A pro maximální konektivitu; podpora nabíjení Super Charger
- Chlazení Silent PRO: technologie chlazení převzatá ze serverů zaručuje tichý a stabilní provoz - nízké teploty navíc zajistí dlouhou životnost všech komponent

*Doba aktualizace se může lišit v závislosti na zařízení. Funkce a dostupnost aplikací se mohou lišit v závislosti na regionu. Některé funkce vyžadují specifický hardware (viz <https://www.microsoft.com/en-us/windows/windows-11-specifications>).



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Switchable 2.5" Storage
5. 5-Way Navigator
6. 1x DC-in
7. 1x Kensington Lock
8. 1x HDMI™ in
9. 1x HDMI™ out
10. 2x USB 2.0 Type A
11. 1x RJ45 LAN
12. 1x Removable Webcam Cover



ALL-IN-ONE PCS

Modern AM272P 12M

MODERN AM272P 12M-011EU

SPECIFICATION

Operating Systems	Operating Systems	Windows 11 Home
Barcode Info	EAN	4719072957438
Model	Part No	9S6-AF8211-207
	MKT Name	Modern AM272P 12M
	MKT Spec	Modern AM272P 12M-011EU
	Color	ID1/Black-Black-Black
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.888(H) x 336.312(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.3114(H)x0.3114(V)
	Brightness (nits)	300
	Contrast Ratio	1000:1
	Signal Frequency	56~84.5 KHz(H) / 50~75 Hz(V)
	Response Time (GTG)	14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-Glare
	Touch Screen	Non-touch
	Display Colors	16.7M
I/O Ports	Lock type	Kensington
Processor	CPU Number	Intel Core i7-1260P
	CPU Clock	2.1GHz
	CPU Cores	12
	TDP	28W
	Cache	18 MB Intel® Smart Cache
	Threads	16
Chipset	Chipsets	N/A
Discrete Graphics	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/0
	Max Capacity	Max 64GB
Storage	SSD Size	256GB
	HDD1 Size	1TB*1
	SSD Config	256GB*1
	SSD Interface	PCIe GEN3x4 w/o DRAM NVMe
	SSD Form Factor	M.2-2280 M-KEY
	M.2 slots (Total/Free)	1/0
	HDD1 RPM	7200RPM
	HDD1 Form Factor	2.5 inch 7mm
	HDD1 Interface	SATA GEN3
	3.5" Drive Bays (Total/Free)	0/
	2.5" Drive Bays (Total/Free)	1/0
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
Communications	LAN	Realtek RTL8111H
	WLAN	INTEL/AX201.NGWW.NVW
	WLAN Version	802.11ax 2x2+BT
	BT Version	5.2
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
I/O Ports (Front)	USB 3.2 Gen 2 Type A	2
	USB 3.2 Gen 2 Type C	2
	Mic-in/Headphone-out combo	1



ALL-IN-ONE PCS

Modern AM272P 12M

MODERN AM272P 12M-011EU

I/O Ports (Rear)	USB 2.0 Type A (R)	2
	RJ45	1
	VGA out	1
	HDMI™ out	1x (v2.0)
Power	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
In The Box	Keyboard Interface	WIRELESS
	Mouse Interface	WIRELESS
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	3
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	RF1430
Input Device	Mouse	MA04
	WebCam	internal webcam
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)
Design	Adjustment (Tilt)	-4° ~ 20°
	Adjustment (Height)	0 ~ 130mm
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	611.75 x 194.68 x 561.48
	Product Dimension with Stand (WxDxH) (inch)	24.08 x 7.66 x 22.11
Dimension & Weight	Weight (Net kg)	TBD
	Weight (Gross kg)	TBD
	Product Dimension with Holder (WxDxH) (mm)	TBD x TBD x TBD
	Product Dimension with Holder (WxDxH) (inch)	TBD x TBD x TBD
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	TBD x TBD x TBD
	Inside Carton Dimension with Stand (WxDxH) (inch)	TBD x TBD x TBD
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
Warranty	Warranty	24M