


All About Gaming



Picture and logos

SELLING POINTS

- IPS Panel – Optimize screen colors and brightness to enhance your viewing experience.
- UWQHD 3440x1440 High Resolution – Games will look even better, displaying more details.
- 155Hz Refresh Rate – Respond faster with smoother frames.
- 1ms Response Time – Eliminate screen tearing and choppy frame rates.
- Wide Color Gamut – Game colors and details will look more realistic and refined.
- Golden 21:9 aspect ratio – Perfectly supports multi-tasking with PBP/PIP/KVM function.
- Night Vision – Smart black tuner to brighten your day by bringing out the fine details in dark areas.
- Frameless design – Enjoy the ultimate gaming experience with super narrow bezels.
- Anti-Flicker and Less Blue Light – Game even longer and prevent eye strain and fatigue.
- 178° Wide Viewing Angle – Colors and details will stay sharp at more angles with a 178° wide viewing angle.



1. 5-way Joystick Navigator
2. AC Power Jack
3. Headphone Out
4. HDMI™ (2.0b) x 2
5. DisplayPort (1.4a)
6. USB Type-C (DP alt)
7. USB 2.0 Type-B
8. USB 2.0 Type-A x 2

SPECIFICATION

Model	SKU Number	9S6-3EA54H-002
	Entity MKT Name	MAG401QR
	Part No	9S6-3EA54H-015
	Color	ID1/Black-Black
Display	Screen Size	40" (101.6 cm)
	Active Display Area (mm)	926.22(H)x387.72(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	3440x1440 (UWQHD)
	Pixel pitch (mm)	0.2697(H)x0.2697(V)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	FreeSync Premium
	Dynamic Refresh Rate Activated Range	48~155Hz
	HDR (High dynamic range)	DisplayHDR 400
	SDR Brightness (nits)	400
	HDR Brightness (Peak nits)	400
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	30~160 KHz(H) / 60~144 Hz(V)
	Refresh Rate	155Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	103%/86%
	NTSC (CIE1931 area percentage/overlap)	88%/81%
	sRGB (CIE1976 area percentage/overlap)	118%/99%
	sRGB (CIE1931 area percentage/overlap)	124%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	101%/90%
	Adobe RGB (CIE1931 area percentage/overlap)	92%/82%
	DCI-P3 (CIE1976 area percentage/overlap)	95%/94%
	DCI-P3 (CIE1931 area percentage/overlap)	91%/91%
	Rec.709 (CIE1976 area percentage/overlap)	118%/99%
	Rec.709 (CIE1931 area percentage/overlap)	124%/99%
	Rec.2020 (CIE1976 area percentage/overlap)	68%/68%
	Rec.2020 (CIE1931 area percentage/overlap)	65%/65%
	Surface Treatment	Anti-glare
Display Colors	1.07B	
Color bit	10 bits (8 bits + FRC)	
I/O Ports	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	USB 2.0 Type A	2
	USB 2.0 Type B	1
	Card reader	N/A
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.0
	HDMI HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.4a
	DisplayPort HDCP version	2.2
	Warranty	Warranty
Power	Power Type	Power Cable
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	39
	Annual Energy Consumption (KWh)	39
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	F
Power Cord Type	C13	

In The Box	DisplayPort Cable	1
	HDMI Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
Mouse Bungee Unit	0	
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	945.22 x 289.63 x 530.29
	Product Dimension without Stand (WxDxH) (mm)	945.22 x 83.32 x 416.12
	Stand Dimension (WxDxH) (mm)	672.42 x 289.63 x 386.56
	Weight (Net kg)	10.3
	Weight Without Stand (kg)	8
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	116.7 x 16 x 51.5
	Outer Carton Dimension (WxDxH) (cm)	118.2 x 17.3 x 53.7
	Weight (Gross kg)	12.4
Barcode Info	EAN	4711377080514